



Answer the following questions :


1 Choose the correct answer :

2 Complete each of the following :

- 1** The measure of the straight angle equals °
 - 2** The sum of the measures of the accumulative angles at a point is °
 - 3** If $\overline{AB} \cong \overline{DE}$, then $AB - DE = \dots$
 - 4** If $m(\angle A) = 140^\circ$, then $m(\text{reflex } \angle A) = \dots$ °
 - 5** Two right-angled triangles are congruent if
 - 6** The angle of measure complements an angle of measure 25°

3 [a] In the opposite figure :

$\overline{AD} \cap \overline{BE} = \{C\}$, $AC = CD$, $BC = CE$
 $, AB = 7 \text{ cm.}, m(\angle B) = 80^\circ$




1 Is $\Delta ABC \cong \Delta DEC$? Why?

2 Find : the length of \overline{ED} , $m(\angle E)$

[b] In the opposite figure :

Find : the value of X




4 [a] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{CD}$, $\overrightarrow{EF} \parallel \overrightarrow{CD}$

, $m(\angle A) = 42^\circ$

and $m(\angle C) = 117^\circ$

Find : $m(\angle AEC)$




[b] In the opposite figure :

\overrightarrow{BD} bisects $\angle ABC$

, $m(\angle DBC) = 35^\circ$

, $m(\angle BDC) = 110^\circ$

Find by steps : $m(\angle C)$ and $m(\angle A)$




5 [a] In the opposite figure :

Write the conditions for the triangles

ADC and ADB to be congruent.

If $m(\angle C) = 30^\circ$

, find : $m(\angle B)$




[b] Draw the angle ABC of measure 100° , then bisect it (Don't remove the arcs).

**2****Cairo Governorate**East Nasr City Educational Directorate
Al-Ahram Language School**Answer the following questions :****1 Choose the correct answer :**

- 1** If $m(\angle A) = 130^\circ$, then $m(\text{reflex } \angle A) = \dots$
- (a) 90° (b) 130° (c) 285° (d) 230°
- 2** The two adjacent angles formed by intersecting of a straight line and a ray with a starting point on this straight line are
 (a) complementary. (b) alternate. (c) supplementary. (d) vertically opposite.
- 3** The sum of measures of the accumulative angles at a point equals
 (a) 180° (b) 90° (c) 360° (d) 120°
- 4** The angle of measure 179° is angle.
 (a) an obtuse (b) a right (c) a reflex (d) a straight
- 5** The right angle complements angle.
 (a) an acute (b) an obtuse (c) a zero (d) a right

6 In the opposite figure :The value of $X = \dots$

- (a) 10° (b) 20°
 (c) 30° (d) 60°

**2 Complete the following :**

- 1** If $\overline{AB} \equiv \overline{XY}$, then $AB - XY = \dots$
- 2** The angle whose measure is 40° supplements an angle of measure $^\circ$
- 3** If a straight line cuts two parallel straight lines, then each two corresponding angles are
 (a) If two adjacent angles are complementary, then their outer sides are
 (b) Two triangles are congruent if two sides and the angle of one of them are congruent to their corresponding parts of the other.
 (c) If two straight lines are parallel to a third straight line, then they are


Geometry

3 [a] In the opposite figure :

$$\overrightarrow{BA} \parallel \overrightarrow{CD}, \overrightarrow{CB} \parallel \overrightarrow{DE}$$

$$, m(\angle D) = 50^\circ$$

Find : **1** $m(\angle C)$



2 $m(\angle B)$


[b] In the opposite figure :

$$m(\angle ABC) = 135^\circ$$

$$, m(\angle CBE) = 80^\circ$$

$$, m(\angle ABD) = 100^\circ$$

Find : $m(\angle EBD)$



4 [a] In the opposite figure :


$$\overrightarrow{AF} \parallel \overrightarrow{DE} \parallel \overrightarrow{XY} \parallel \overrightarrow{BC}$$

$$, AD = DX = XB = 2 \text{ cm.}$$

$$, AY = 6 \text{ cm.}, CB = 5 \text{ cm.}$$

Find : **1** The length of \overline{AC}

2 The perimeter of the triangle ABC




[b] In the opposite figure :

The polygon ABCD \cong the polygon XYZL

Find : **1** The length of \overline{LX}

2 $m(\angle B)$

3 $m(\angle Z)$




5 [a] In the opposite figure :

$$XL = XZ$$

$$\text{and } YL = YZ$$

Prove that : $\triangle XYL$ is congruent to $\triangle XYZ$

Mention the case used.



[b] By using your geometric instruments , draw $\angle ABC$ whose measure is 100°

Draw \overrightarrow{BF} to bisect $\angle B$ (Don't remove the arcs).

3**Giza Governorate**El-Haram Directorate
Maths Supervision**Answer the following questions :****1 Choose the correct answer :**


- 1** The measure of the supplementary of the angle whose measure is 40° is
 (a) 50° (b) 140° (c) 180° (d) 90°
- 2** The perimeter of the rhombus whose side length is 10 cm. equals cm.
 (a) 100 (b) 40 (c) 20 (d) 50
- 3** If $\Delta ABC \cong \Delta XYZ$, $m(\angle X) + m(\angle Y) = 150^\circ$, then $m(\angle C) =$
 (a) 75° (b) 30° (c) 100° (d) 50°
- 4** If $m(\angle A) = 80^\circ$, then $m(\text{reflex } \angle A) =$
 (a) 360° (b) 280° (c) 90° (d) 180°
- 5** If two straight lines are perpendicular to a third in the same plane, then these two straight lines are
 (a) perpendicular. (b) parallel. (c) intersecting. (d) coincident.

6 In the opposite figure :

$$\text{If } \overleftrightarrow{AB} \cap \overleftrightarrow{CD} = \{M\}$$

, then $m(\angle AMC) =$

- (a) 30° (b) 60°
 (c) 20° (d) 120°

**2 Complete the following :**

- 1** If a straight line intersects two parallel straight lines, then each two alternate angles are
- 2** If $\angle A \equiv \angle B$ and $\angle A$ supplements $\angle B$, then $m(\angle B) =$ $^\circ$
- 3** The sum of measures of the accumulative angles at a point equals $^\circ$
- 4** Two triangles are congruent if each is congruent to its corresponding part of the other triangle.
- 5** ABCD is a parallelogram, $m(\angle A) = 55^\circ$, then $m(\angle B) =$ $^\circ$
- 6** The complementary of an angle of measure 55° is an angle of measure $^\circ$

3 [a] Draw an angle of measure 120° and bisect it. (Don't remove the arcs).


[b] In the opposite figure :

$$\overleftrightarrow{AZ} \parallel \overleftrightarrow{YD} \parallel \overleftrightarrow{XE} \parallel \overleftrightarrow{CB}$$

$$, AY = YX = XC$$

$$, AB = 18 \text{ cm.}$$

Find : the length of \overline{AE}




4 [a] In the opposite figure :

$$\text{If } B \in \overleftrightarrow{AC}$$

$$, m(\angle DBC) = 135^\circ$$

, \overrightarrow{BA} bisects $\angle DBE$

, **find :** $m(\angle ABD)$ and $m(\angle DBE)$ (Give reasons).




[b] In the opposite figure :

$$m(\angle DMA) = 90^\circ$$

$$, m(\angle DMC) = 40^\circ$$

$$, m(\angle AMB) = 110^\circ$$

Find : $m(\angle CMB)$



5 [a] In the opposite figure :


$$m(\angle A) = m(\angle C) = 90^\circ$$

$$, AB = BC, AD = 5 \text{ cm.}$$

$$, m(\angle ADB) = 30^\circ$$

Is $\triangle ABD \cong \triangle CBD$?

Find : the length of \overline{CD} , $m(\angle CBD)$



[b] In the opposite figure :


$$\text{If } \overleftrightarrow{DE} \parallel \overleftrightarrow{CA}$$

$$, m(\angle D) = 125^\circ$$

$$, m(\angle A) = 55^\circ$$

, **find :** $m(\angle C)$

Is $\overrightarrow{AB} \parallel \overrightarrow{DC}$? (Give reasons).







**4****Giza Governorate**


Abou El-Nomros Educational Zone

*Answer the following questions :***1 Choose the correct answer :**

- 1** If $\overrightarrow{BA} \perp \overrightarrow{BC}$, then $m(\angle ABC) = \dots$
- (a) 40° (b) 90° (c) 180° (d) 360°
- 2** The best unit to measure the area of a room is
- (a) mm^2 (b) cm^2 (c) m^2 (d) km^2
- 3** If $m(\angle A) = 50^\circ$, then $m(\text{reflex } \angle A) = \dots$
- (a) 40° (b) 130° (c) 310° (d) 180°
- 4** If $\overline{AB} \equiv \overline{XY}$, then $5AB - 5XY = \dots$
- (a) zero (b) 1 (c) 2 (d) 5
- 5** If L_1 and L_2 are two coplanar straight lines where $L_1 \cap L_2 = \emptyset$, then L_1 and L_2 are
- (a) intersecting. (b) perpendicular. (c) parallel. (d) coincident.
- 6** The following triangles are congruent except

**2 Complete :**

- 1** The two complementary angles are the two angles whose sum of measures is°
- 2** If $\Delta ABC \cong \Delta XYZ$ and $m(\angle A) + m(\angle B) = 120^\circ$, then $m(\angle Z) = \dots$ °
- 3** The area of the square of side length 4 cm. equals cm^2
- 4** If a straight line cuts two parallel straight lines, then each two alternate angles are
- 5** The perimeter of the opposite figure is cm.
- 6** If $\Delta ABC \cong \Delta XYZ$, the perimeter of $\Delta ABC = 12 \text{ cm.}$, $XY = 4 \text{ cm.}$, $YZ = 5 \text{ cm.}$, then $AC = \dots$




Geometry

3 [a] In the opposite figure :

$D \in \overline{CZ}$, the figure ABCDE \cong the figure XYZDE
 $, AE = 2 \text{ cm.}, BC = 4 \text{ cm.}$

and $AB = CD = 5 \text{ cm.}$

Find : the perimeter of the figure ABCZYX




[b] In the opposite figure :

$\overleftrightarrow{AO} \parallel \overleftrightarrow{HD} \parallel \overleftrightarrow{YX} \parallel \overleftrightarrow{CB}$

$, AD = DX = XB$

and $AC = 18 \text{ cm.}$

Find : the length of \overline{AY}



4 [a] In the opposite figure :


$AD = DC, m(\angle ADB) = 40^\circ, m(\angle DBC) = 30^\circ$

$, m(\angle BCD) = 110^\circ$ and $AB = 7 \text{ cm.}$

1 Prove that : $\triangle ADB \cong \triangle CDB$

2 Find : the length of \overline{BC}

3 Find : $m(\angle BAD)$ (Show your steps)



[b] In the opposite figure :

$\overleftrightarrow{AB} \cap \overleftrightarrow{CD} = \{M\}$


$, m(\angle CMX) = 90^\circ$

$, m(\angle XMB) = 35^\circ$ and $m(\angle AMY) = 80^\circ$

Find : **1** $m(\angle AMC)$

2 $m(\angle DMY)$

3 $m(\angle BMY)$



5 [a] Using the ruler and the compasses , draw the line segment \overline{BC} of length 7 cm.

, then draw the straight line L as an axis of symmetry of it. (Don't remove the arcs).


[b] In the opposite figure :

$\overrightarrow{AE} \parallel \overrightarrow{CB}, \overrightarrow{BA} \parallel \overrightarrow{CD}$

$, \overrightarrow{AF}$ bisects $\angle BAE$ and $m(\angle EAF) = 56^\circ$

Find : **1** $m(\angle B)$

2 $m(\angle C)$ (Show your steps)




**5****Alexandria Governorate****Eastern Educational Zone
Taymour English School***Answer the following questions :***1 Choose the correct answer :**

- 1** If $\angle X$ complements $\angle Y$, $m(\angle X) = 2 m(\angle Y)$, then $m(\angle Y) = \dots$.
 (a) 45° (b) 30° (c) 60° (d) 90°
- 2** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 140^\circ$, then $m(\angle Z) = \dots$.
 (a) 100° (b) 80° (c) 40° (d) 140°
- 3** If L_1 and L_2 are two straight lines where $L_1 \cap L_2 = \emptyset$, then the two straight lines are
 (a) perpendicular. (b) coincident. (c) intersecting. (d) parallel.
- 4** The sum of the measures of the accumulative angles at a point equals the sum of the measures of angles.
 (a) 2 right (b) 3 right (c) 4 right (d) 5 right

5 In the opposite figure :If $\Delta ABD \cong \Delta ACD$, $AD = 5 \text{ cm}$., the perimeter of the figure $ABDC = 30 \text{ cm}$., then the perimeter of $\Delta ABD = \dots \text{ cm}$.


- (a) 35 (b) 20 (c) 30 (d) 15

**6** The angle whose measure is $95^\circ 60'$ supplements an angle of measure

- (a)
- 84°
- (b)
- 75°
- (c)
- 100°
- (d)
- 90°


2 Complete the following :**1 In the opposite figure :**

$B \in \overline{AC}$, $\overrightarrow{BE} \parallel \overrightarrow{CD}$, \overrightarrow{CF} bisects $\angle ACD$ and $m(\angle FCD) = 30^\circ$
 , then $x = \dots$

**2** If $m(\text{reflex } \angle A) = 240^\circ$, then the measure of the supplementary angle of $\angle A = \dots^\circ$ **3** The perimeter of the rhombus whose side length is 10 cm. equals**4** If $\overline{AB} \equiv \overline{CD}$, then $AB - CD = \dots$

5 In the opposite figure :

$$x = \dots \dots \dots$$




6 In the opposite figure :

$$\text{If } \overrightarrow{AF} \parallel \overrightarrow{ED} \parallel \overrightarrow{CB}$$

$$, AE = EC$$

$$, \text{then } AD : AB = \dots \dots \dots : \dots \dots \dots$$




3 [a] In the opposite figure :

$$m(\angle AMB) = 110^\circ$$

$$, m(\angle AMD) = 90^\circ$$

$$, m(\angle DMC) = 40^\circ$$

$$, \text{then find : } m(\angle BMC)$$




[b] In the opposite figure :

$$AD = DC, m(\angle ADB) = 30^\circ$$

$$, m(\angle A) = m(\angle C) = 90^\circ, BC = 3 \text{ cm.}$$

Find with reasons : $m(\angle ABC)$, the length of \overline{AB}




4 [a] In the opposite figure :

$$\overrightarrow{AO} \parallel \overrightarrow{DH} \parallel \overrightarrow{XY} \parallel \overrightarrow{BC}$$

$$, AD = DX = XB, AC = 9 \text{ cm.}$$

Find : the length of \overline{AY}




[b] Using your geometric instruments , draw \overline{AB} where $AB = 8 \text{ cm.}$, then draw the line of symmetry of it. (Don't remove the arcs).

5 [a] In the opposite figure :

$$m(\angle CDB) = 110^\circ, \overrightarrow{BD} \text{ bisects } \angle CBA$$

$$, m(\angle CBD) = 30^\circ$$

Find : $m(\angle A)$




[b] In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{DC}, m(\angle EBC) = 53^\circ$$

$$, m(\angle D) = 127^\circ$$

Is $\overline{BC} \parallel \overline{AD}$? State the reason.



**6****El-Kalyoubia Governorate**Maths Supervision
Official Language Schools*Answer the following questions :***1 Choose the correct answer :**

- 1** If $m(\angle B) = 140^\circ$, then $m(\text{reflex } \angle B) = \dots$
 (a) 40° (b) 90° (c) 180° (d) 220°
- 2** If $\Delta ABC \cong \Delta DEF$ and $m(\angle A) = 50^\circ$, $m(\angle E) = 60^\circ$, then $m(\angle B) = \dots$
 (a) 70° (b) 60° (c) 50° (d) 10°
- 3** A square its side length is a whole number, then its perimeter may be equal to
 (a) 33 (b) 44 (c) 55 (d) 66
- 4** If the two vertically opposite angles are complementary, then the measure of each angle equals
 (a) 90° (b) 60° (c) 45° (d) 30°
- 5** The two straight lines perpendicular to a third straight line in the same plane are
 (a) perpendicular. (b) intersecting. (c) coincident. (d) parallel.
- 6** If $\overline{AB} \equiv \overline{CD}$, then $AB \div CD = \dots$
 (a) AB (b) 0 (c) 1 (d) 2

2 Complete each of the following :


- 1** If a straight line cuts one of two parallel straight lines in the same plane, then it the other.
- 2** Two triangles are congruent if and the included angle of one triangle are congruent to their corresponding parts of the other triangle.
- 3** If the ratio between the measures of two supplementary angles is $2 : 7$, then the measure of the greater angle equals°
- 4** If X is the midpoint of \overline{YZ} , then $\overline{YX} \equiv \dots$
- 5** The sum of measures of the accumulative angles at a point equals°
- 6** If the two adjacent angles are complementary, then their outer sides are

3 [a] In the opposite figure :

\overline{BD} bisects $\angle ABC$, $m(\angle DBC) = 35^\circ$

and $m(\angle BDC) = 120^\circ$

Find : $m(\angle A)$




[b] In the opposite figure :

$$\overline{AC} \cap \overline{BD} = \{M\}$$

, $MB = MC$, $AM = DM$

, $m(\angle A) = 30^\circ$

, $m(\angle DMC) = 85^\circ$



Mention the conditions of congruency of $\triangle AMB$ and $\triangle DMC$

, then find : $m(\angle B)$

4 [a] Using the geometric tools , draw an angle of measure 110° , then bisect it into two equal angles (Don't remove the arcs).


[b] In the opposite figure :

If $\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{HO}$

, $m(\angle A) = 20^\circ$

, $m(\angle H) = 120^\circ$

, find : $m(\angle ACH)$ (Show the steps).




5 [a] In the opposite figure :

If $\overrightarrow{AO} \parallel \overrightarrow{HD} \parallel \overrightarrow{XY} \parallel \overrightarrow{CB}$

, $AD = DX = XB$

, $AC = 15$ cm.

, find : the length of \overline{HC}



[b] In the opposite figure :


\overleftarrow{AC} bisects $\angle BAD$ and $\angle BCD$

Is $\triangle ADC \cong \triangle ABC$? And why ?

And if $AC = 7$ cm.

and the perimeter of $\triangle ADC = 20$ cm.

, find : the perimeter of the figure ADCB




**7****EI-Sharkia Governorate****Math Inspection****Answer the following questions :****1 Choose the correct answer :**

- 1** If $m(\angle A) = 65^\circ$, then $m(\text{reflex } \angle A) = \dots$
 (a) 305° (b) 295° (c) 25° (d) 115°
- 2** If L_1, L_2 and L_3 are three coplanar straight lines, $L_1 \parallel L_2$ and $L_1 \perp L_3$, then \dots
 (a) $L_1 \perp L_2$ (b) $L_1 \parallel L_3$ (c) $L_2 \parallel L_3$ (d) $L_2 \perp L_3$
- 3** If $\Delta ABC \cong \Delta XYZ$ and $m(\angle A) + m(\angle B) = 130^\circ$, then $m(\angle Z) = \dots$
 (a) 50° (b) 65° (c) 130° (d) 180°
- 4** The complementary of the angle whose measure is 30° is an angle of measure \dots
 (a) 60° (b) 30° (c) 120° (d) 150°
- 5** If $\overline{AB} \equiv \overline{CD}$, $AB = 5 \text{ cm.}$, then $AB - CD = \dots$
 (a) 0 (b) 1 (c) 5 (d) 10
- 6** If two straight lines intersect, then each two vertically opposite angles are \dots
 (a) supplementary. (b) complementary.
 (c) equal in measure. (d) adjacent.

2 Complete :


- 1** The sum of the measures of the accumulative angles at a point equals \dots°
- 2** If a straight line intersects two parallel straight lines, then each two alternate angles are \dots
- 3** The perpendicular bisector of a line segment is called \dots
- 4** If $\angle A$ supplements $\angle B$ and $\angle A \cong \angle B$, then $m(\angle B) = \dots^\circ$
- 5** If $\Delta ABC \cong \Delta LMN$, then $BC = \dots$
- 6** In the opposite figure :

$$x = \dots$$

**3 [a] In the opposite figure :**

$\overrightarrow{AD} \parallel \overrightarrow{CB}$, \overrightarrow{AD} bisects $\angle BAE$
 $, m(\angle B) = 52^\circ$

Find : $m(\angle BAD)$, $m(\angle C)$




[b] In the opposite figure :

$$m(\angle A) = m(\angle C) = 90^\circ$$

, AB = BC = 5 cm. , AD = 3 cm.

1 Prove that : $\Delta ABD \cong \Delta CBD$

2 Find : the length of \overline{CD}




4 [a] In the opposite figure :

If $\overrightarrow{AF} \parallel \overrightarrow{DE} \parallel \overrightarrow{XY} \parallel \overrightarrow{BC}$

$$, AE = EY = YC$$

$$, AB = 12 \text{ cm.}$$

Find : the length of \overline{AX}




[b] In the opposite figure :

$$m(\angle AMB) = 120^\circ$$

$$, m(\angle AMD) = 90^\circ$$

$$, m(\angle DMC) = 40^\circ$$

Find : $m(\angle BMC)$




5 [a] In the opposite figure :

$\overrightarrow{DH} \parallel \overrightarrow{AC}$, $\overrightarrow{AB} \parallel \overrightarrow{DC}$

$$, m(\angle D) = 50^\circ$$

Find : $m(\angle C)$ and $m(\angle A)$



[b] Draw the line segment \overline{AB} of length 8 cm. , then draw its line of symmetry.

(Don't remove arcs).

8

El-Gharbia Governorate



The Central Math Supervision
Official Language Schools

Answer the following questions :

1 Choose the correct answer :

1 If $\Delta ABC \cong \Delta XYZ$ and $m(\angle X) + m(\angle Z) = 140^\circ$, then $m(\angle B) = \dots$

(a) 70°

(b) 220°

(c) 40°

(d) 140°

2 If $\angle A$ supplements $\angle B$ and $\angle A \equiv \angle B$, then $m(\angle B) = \dots$

(a) 360°

(b) 180°

(c) 90°

(d) 45°



3 The sum of measures of the accumulative angles at a point is right angles.

- (a) 3 (b) 4 (c) 5 (d) 6

4 The number of rectangles in the opposite figure is

- (a) 3 (b) 4 (c) 5 (d) 6



5 If L_1 , L_2 and L_3 are three coplanar straight lines, $L_1 \parallel L_2$ and $L_1 \perp L_3$, then L_2 L_3

- (a) \perp (b) \parallel (c) = (d) coincides

6 If the ratio between the measures of two supplementary angles is $5 : 13$, then the measure of the smaller angle is

- (a) 50° (b) 130° (c) 150° (d) 180°

2 Complete the following :


- 1** The two straight lines that are perpendicular to a third one in the same plane are
- 2** The perpendicular bisector of a line segment is called
- 3** The two right-angled triangles are congruent if
- 4** ABCD is a parallelogram, $m(\angle A) = 55^\circ$, then $m(\angle B) = \dots^\circ$
- 5** If $\overline{AB} \cong \overline{CD}$, $AB = 5$ cm., $2AB - CD = \dots$
- 6** If two adjacent angles are complementary, then their outer sides are

3 [a] In the opposite figure :

$$\overline{AD} \cap \overline{BC} = \{M\}, BM = MC$$

$$, AM = MD$$

Write the conditions for $\triangle AMB$, $\triangle DMC$ to be congruent.




[b] In the opposite figure :

$$m(\angle AMB) = 110^\circ, m(\angle AMD) = 90^\circ$$

$$, m(\angle DMC) = 40^\circ$$

Find with steps : the value of X




4 [a] In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{HO}$$

$$, m(\angle A) = 50^\circ$$


$$, m(\angle H) = 110^\circ$$

Find : $m(\angle ACH)$



[b] In the opposite figure :

Mention the case and the conditions
of congruence between $\triangle ABC$ and $\triangle EDA$
, then find : $m(\angle EAD)$ and $m(\angle EAC)$




5 [a] Using the geometric instruments , draw $\angle ABC$ whose measure is 110°
, then draw \overrightarrow{BF} to bisect the angle.

[b] In the opposite figure :

$$\overleftrightarrow{AF} \parallel \overleftrightarrow{DE} \parallel \overleftrightarrow{BC}$$

, $AD = BD$, $AE = 4 \text{ cm.}$

Find : the length of \overline{AC} , giving the reason.



9

Ismailia Governorate



Directorate of Education
Maths Supervision

Answer the following questions :

1 Choose the correct answer :

1 The angle of measure 70° is angle.

- (a) an acute (b) a right (c) an obtuse (d) a straight

2 The sum of measures of two supplementary angles equals

- (a) 90° (b) 100° (c) 360° (d) 180°

3 If the side length of a square is 5 cm. , then its perimeter is cm.

- (a) 20 (b) 30 (c) 15 (d) 10

4 If $\triangle ABC \cong \triangle XYZ$, then $AC = \dots$

- (a) BC (b) XY (c) XZ (d) YZ

5 The radius length of a circle is 10 cm. , then its diameter length is cm.

- (a) 5 (b) 15 (c) 20 (d) 25

6 If L_1 , L_2 and L_3 are three coplanar straight lines , $L_1 \parallel L_2$, $L_2 \perp L_3$
, then $L_1 \dots L_3$

- (a) \parallel (b) \perp (c) $=$ (d) \equiv



2 Complete :


- 1 If $\overline{AB} \equiv \overline{CD}$, then $AB - CD = \dots$
- 2 If $m(\angle B) = 60^\circ$, then $m(\text{reflex } \angle B) = \dots^\circ$
- 3 If two straight lines are parallel to a third, then they are
- 4 If $\angle X \equiv \angle Y$, $\angle X$ is a right angle, then $m(\angle Y) = \dots^\circ$
- 5 The shape ABCD \equiv the shape XYZL, then $m(\angle B) = m(\angle \dots)$
- 6 The angle of measure 50° complements an angle of measure \dots°

3 [a] Draw \overline{AB} of length 6 cm. and bisect it. (Don't remove the arcs).

[b] In the opposite figure :

$$\begin{aligned}m(\angle AMB) &= 30^\circ, m(\angle BMC) = 110^\circ \\&, m(\angle AMD) = 90^\circ\end{aligned}$$

Find : $m(\angle CMD)$




4 [a] In the opposite figure :

1 Is $\triangle ACB \equiv \triangle ACD$? Why?

2 Find : $m(\angle D)$

3 Find : the length of \overline{CD}




[b] In the opposite figure :

$$\begin{aligned}\overrightarrow{AD} // \overrightarrow{BE} // \overrightarrow{FC}, m(\angle A) &= 120^\circ \\&, m(\angle F) = 40^\circ\end{aligned}$$

Find : 1 $m(\angle ABE)$


2 $m(\angle FBE)$

3 $m(\angle ABF)$



5 [a] In the opposite figure :


Is $\triangle CBD \equiv \triangle ABD$? Why?



[b] In the opposite figure :

$$\overline{AB} \parallel \overline{CD}$$

Find : the value of x



10

Damietta Governorate



New Damietta Educ. Zone
El-Kafrawy Lang. School

Answer the following questions :

1 Complete the following :


- 1 If the two outer sides of two adjacent angles are on the same straight line , then that two angles are
- 2 The two triangles are congruent if two sides and are congruent with their corresponding parts in the other triangle.
- 3 The sum of measures of the accumulative angles at a point equals°

4 In the opposite figure :

If $\Delta ABC \cong \Delta EDF$, $ED = 4 \text{ cm.}$

, $EF = 3 \text{ cm.}$, $CB = 5 \text{ cm.}$

, then the perimeter of $\Delta ABC = \dots \text{ cm.}$




5 In the opposite figure :

\overrightarrow{AE} bisects $\angle BAC$

, $m(\angle BAE) = 30^\circ$

, $m(\angle ACD) = 60^\circ$, then $\overline{AB} \parallel \dots$



6 If $m(\angle A) = 40^\circ$, then $m(\text{reflex } \angle A) = \dots^\circ$

2 Choose the correct answer from those given :

1 If the two triangles ABC and XYZ are congruent , then

- (a) $BC = XZ$ (b) $YX = CA$ (c) $ZY = CB$ (d) $AB = YZ$

2 The best unit to measure the area of a room is

- (a) mm^2 (b) cm^2 (c) m^2 (d) km^2

3 The angle whose measure is 45° complements an angle of measure

- (a) 45° (b) 90° (c) 180° (d) 135°



4 If $\angle A \equiv \angle B$ and $\angle A, \angle B$ are supplementary angles , then $m(\angle A) = \dots$

- (a) 45° (b) 90° (c) 125° (d) 180°


5 In the opposite figure :

$\overleftrightarrow{AF} // \overleftrightarrow{XY} // \overleftrightarrow{DE} // \overleftrightarrow{BC}$ and $AY = YE = EC$


, $AX = 3$ cm.

, then $AD = \dots$ cm.

- (a) 2 (b) 3 (c) 4 (d) 6



6 The number of triangles in the figure equals



- (a) 4 (b) 6 (c) 7 (d) 8


3 [a] In the opposite figure :

$$m(\angle AFB) = 120^\circ$$

$$\text{, } m(\angle BFC) = 80^\circ$$

$$\text{, } m(\angle AFD) = 90^\circ$$

Find : $m(\angle CFD)$




[b] In the opposite figure :

$\overrightarrow{AD} // \overrightarrow{BC}$, \overrightarrow{CF} bisects $\angle DCE$

$$\text{, } m(\angle ABC) = 55^\circ \text{ , } m(\angle ADC) = 110^\circ$$

Does $\overline{AB} // \overline{CF}$? Why ?




4 [a] In the opposite figure :

The figure ABCDE \equiv the figure XYZDE

Find : **1** the length of \overline{ZC}

2 the perimeter of the figure ABCZYX

3 $m(\angle EDZ)$




[b] In the opposite figure :

$\overrightarrow{BA} // \overrightarrow{CD}$, $\overrightarrow{CD} // \overrightarrow{EF}$

$$\text{, } m(\angle E) = 40^\circ$$

$$\text{, } m(\angle B) = 140^\circ$$

Find : $m(\angle ECB)$



Geometry


5 [a] In the opposite figure :

$$AB = BC, AD = CD, m(\angle C) = 70^\circ$$

$$, m(\angle BDC) = 30^\circ$$

Does $\Delta ABD \cong \Delta CBD$? Why?

Find : $m(\angle ABD)$



[b] Draw $\angle ABC$ where $m(\angle B) = 100^\circ$, using the ruler and the compasses bisect $\angle B$ by \overrightarrow{BD} (Don't remove the arcs)

11

Beni Suef Governorate



Education Administration
Directorate of Official Language Schools

Answer the following questions :

1 Choose the correct answer from those given :

1 In the opposite figure :

If $A \in \overleftrightarrow{BC}$ and $m(\angle BAD) = 70^\circ$


, then $m(\angle CAD) = \dots \dots \dots$

(a) 55°

(b) 70°

(c) 110°

(d) 120°



2 If $m(\angle A) = 80^\circ$, then $m(\text{reflex } \angle A) = \dots \dots \dots$

(a) 10°

(b) 100°

(c) 190°

(d) 280°

3 If $\Delta ABC \cong \Delta XYZ$, then $AB = \dots \dots \dots$

(a) BC

(b) YZ

(c) XZ

(d) XY

4 In ΔABC , if $m(\angle A) + m(\angle B) = 130^\circ$, then $m(\angle C) = \dots \dots \dots$

(a) 40°

(b) 50°

(c) 65°

(d) 130°

5 The angle whose measure is more than 90° and less than 180° is called angle.


(a) an acute

(b) a right

(c) an obtuse

(d) a reflex

6 The number of triangles in the figure equals



(a) 4

(b) 6

(c) 7

(d) 8

2 Complete each of the following :

1 The sum of measures of the two complementary angles equals°

2 If $\angle A = \angle B$ and $m(\angle A) = 50^\circ$, then $m(\angle B) = \dots \dots \dots$ °

- 3** If the polygon ABCD \equiv the polygon XYZL , then $m(\angle BCD) = m(\angle \dots)$
- 4** Two triangles are congruent if each of one triangle is congruent to the corresponding of the other triangle.
- 5** The straight line that is perpendicular to one of two parallel lines in the same plane is to the other.
- 6** The perpendicular bisector of a line segment is called

- 3 [a]** Using the geometric instruments , draw $\angle ABC$ of measure 100° , then draw \overrightarrow{BF} to bisect the angle (Don't remove the arcs).


[b] In the opposite figure :

M is the point of intersection of \overleftrightarrow{AC} and \overleftrightarrow{BD}

, \overrightarrow{ME} bisects $\angle AMD$

and $m(\angle AME) = 60^\circ$

Find : $m(\angle AMD)$ and $m(\angle BMC)$ (Give reason).




- 4 [a] In the opposite figure :**

$CB = CD$, $\overline{AC} \perp \overline{BD}$

and $m(\angle B) = 57^\circ$

Prove that : $\Delta ACB \equiv \Delta ACD$

, then find : $m(\angle ADC)$




[b] In the opposite figure :

$m(\angle ABC) = m(\angle BCD)$

, $AB = 3$ cm.

and $m(\angle ACB) = m(\angle DBC)$

Study the case of congruency , then find : the length of \overline{CD}




- 5 [a] In the opposite figure :**

$\overrightarrow{BA} // \overrightarrow{CD} // \overrightarrow{EF}$

, \overrightarrow{CD} bisects $\angle BCE$ and $m(\angle CEF) = 40^\circ$

Find : $m(\angle ECD)$, $m(\angle DCB)$ and $m(\angle CBA)$ (Give reason).




[b] In the opposite figure :

$\overleftrightarrow{AF} // \overleftrightarrow{DE} // \overleftrightarrow{XY} // \overleftrightarrow{BC}$, $AC = 18$ cm.

and $AD = DX = XB$

Find : the length of \overline{EY} (Give reason).





Answer the following questions :

1 Choose the correct answer :


- 1** The acute angle supplements angle.
 (a) an acute (b) an obtuse (c) a right (d) a reflex
- 2** The two straight lines that are perpendicular to a third in the same plane are
 (a) perpendicular. (b) intersecting. (c) coincident. (d) parallel.
- 3** The angle whose measure is more than 90° and less than 180° is angle.
 (a) an obtuse (b) an acute (c) a right (d) a straight
- 4** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots$.
 (a) 50° (b) 80° (c) 90° (d) 100°
- 5** The triangle whose perimeter is 12 cm. and the lengths of two of its sides are 2 cm., 5 cm. is
 (a) obtuse-angled. (b) acute-angled. (c) right-angled. (d) isosceles.

6 In the opposite figure :

If $\Delta ABC \cong \Delta DEF$

, then the perimeter of $\Delta ABC = \dots$.

- (a) 9 cm. (b) 10 cm. (c) 11 cm. (d) 15 cm.




2 Complete :

1 In the opposite figure :

If $AB = 3$ cm.

, then $BD = \dots$ cm.



- 2** The angle whose measure is 36° complements an angle of measure° and supplements an angle of measure°
- 3** If two straight lines intersect , then each two vertically opposite angles are
- 4** If $\Delta ABC \cong \Delta XYZ$, then $m(\angle CAB) = m(\angle \dots)$
- 5** If $m(\angle A) = 100^\circ$, then $m(\text{reflex } \angle A) = \dots$ °
- 6** The sum of the measures of the accumulative angles at a point is°

- 3 [a] Mention two cases of congruency of two triangles.


[b] In the opposite figure :

$$m(\angle BAD) = m(\angle BCD) = 90^\circ$$

$$, m(\angle ABD) = 31^\circ$$

$$, AB = CB = 5 \text{ cm.}, AD = 3 \text{ cm.}$$

Find : the length of \overline{CD}



- 4 [a] By using your geometric instruments , draw an angle of measure 120° , then divide it into four congruent angles.
(Don't remove the arcs).


[b] In the opposite figure :

$$m(\angle AMB) = 30^\circ$$

$$, m(\angle BMC) = 110^\circ$$

$$, m(\angle AMD) = 90^\circ$$

Find : $m(\angle CMD)$




- 5 [a] In the opposite figure :

$$\overline{AB} \parallel \overline{DC}, \overline{AD} \parallel \overline{BC}$$

$$, m(\angle BAD) = 63^\circ$$

Find : $m(\angle BCE)$






[b] In the opposite figure :

$$\overline{AF} \parallel \overline{DE} \parallel \overline{BC}$$

$$, AD = BD, AD = 5 \text{ cm.}$$

$$, AE = 4 \text{ cm.}, BC = 6 \text{ cm.}$$

Find : the perimeter of $\triangle ABC$



Final Examinations

on Geometry



Model Examinations of the School Book

on Geometry

Model 1

Answer the following questions :


- 1** Complete each of the following :

1 The perpendicular bisector of a line segment is called

- 2 In the opposite figure :

If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle B) = 140^\circ$

, then $m(\angle Z) =^\circ$




3 If $m(\angle B) = 105^\circ$, then $m(\text{reflex } \angle B) =^\circ$

- 4 In the opposite figure :

If $\overrightarrow{MB} \cap \overrightarrow{AC} = \{M\}$, $m(\angle AMB) = 60^\circ$

, then the value of X equals



5 Two right-angled triangles are congruent if

- 2** Choose the correct answer from those given :

1 If $\angle X \cong \angle Y$, $\angle X$ and $\angle Y$ are supplementary angles , then $m(\angle X) =$

(a) 45° (b) 90°

(c) 135°

(d) 180°

- 2 In the opposite figure :


If $\overleftrightarrow{AF} \parallel \overleftrightarrow{DE} \parallel \overleftrightarrow{BC}$, $AE = EC$

, then $AD : AB =$

(a) $2 : 1$ (b) $3 : 2$

(c) $1 : 3$

(d) $1 : 2$



3 The two straight lines that are perpendicular to a third one are

(a) perpendicular.

(b) intersecting.

(c) coincident.

(d) parallel.

4 The measure of each of the two equal complementary angles equals

(a) 180° (b) 45°

(c) 360°

(d) 90°

5 If two straight lines intersect , then each two angles have the same measure.

(a) vertically opposite

(b) adjacent

(c) alternate

(d) corresponding

6 If $\triangle ABC \cong \triangle LMN$, then $m(\angle ACB) = m(\angle$)

(a) LMN

(b) MLN

(c) LNM

(d) NLM


3 [a] In the opposite figure :

$$m(\angle BAD) = m(\angle BCD) = 90^\circ$$

$$, AB = CB = 5 \text{ cm.}, AD = 3 \text{ cm.}$$

Mention the conditions for $\triangle ABD$, $\triangle CBD$ to be congruent

, then find : The length of \overline{CD}




[b] In the opposite figure :

$$\overleftrightarrow{AF} \parallel \overleftrightarrow{DE} \parallel \overleftrightarrow{XY} \parallel \overleftrightarrow{BC}$$

$$, AD = DX = XB, AC = 9 \text{ cm.}$$

Find : The length of \overline{AY} (Give the reason)




4 [a] In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF}$$

$$, m(\angle A) = 45^\circ$$

$$, m(\angle E) = 130^\circ$$

Find : $m(\angle ACE)$




[b] In the opposite figure :

$$m(\angle AMB) = 110^\circ$$

$$, m(\angle AMD) = 90^\circ$$

$$, m(\angle DMC) = 40^\circ$$

Find with steps : $m(\angle BMC)$




5 [a] In the opposite figure :

$$\overline{AD} \cap \overline{BC} = \{M\}$$

$$, BM = MC$$

$$, AM = MD$$



Write the conditions for $\triangle AMB$, $\triangle DMC$ to be congruent.

[b] Using your geometric instruments , draw $\angle ABC$ of measure 110° , then draw \overrightarrow{BF} to bisect the angle.

Model 2*Answer the following questions :***1 Complete each of the following :**

- 1** The sum of the measures of the accumulative angles at a point equals°
- 2** If a straight line intersects two parallel straight lines , then each two corresponding angles are
- 3** If $m(\angle A) = 110^\circ$, then $m(\text{reflex } \angle A) = \dots \dots \dots$ °
- 4** Two right-angled triangles are congruent if
- 5** The two adjacent angles formed by the intersection of a straight line and a ray with a starting point on this straight line are

2 Choose the correct answer from those given :

- 1** If $\angle X$ complements $\angle Y$ and $\angle X \equiv \angle Y$, then $m(\angle X) = \dots \dots \dots$
 - (a) 45°
 - (b) 90°
 - (c) 180°
 - (d) 360°
- 2** The number of triangles in the figure  equals

 - (a) 4
 - (b) 6
 - (c) 7
 - (d) 8






- 3** If the ratio between the measures of two supplementary angles is $5 : 13$, then the measure of the smaller angle is

 - (a) 50°
 - (b) 130°
 - (c) 150°
 - (d) 180°

- 4** If $\Delta ABC \equiv \Delta XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots \dots \dots$
 - (a) 50°
 - (b) 80°
 - (c) 90°
 - (d) 100°
- 5** The two straight lines that are perpendicular to a third one are

 - (a) perpendicular.
 - (b) parallel.
 - (c) coincident.
 - (d) intersecting.

- 6** The figure is not congruent to the opposite figure.



3 [a] Mention two cases of congruency of two triangles.

[b] In the opposite figure :


$$AB = BC, AD = DC$$

$$\text{, } m(\angle C) = 80^\circ$$

$$\text{, } m(\angle BDC) = 40^\circ$$

Prove that : $\Delta CBD \cong \Delta ABD$

, then find : $m(\angle ABD)$




4 [a] In the opposite figure :

$$\overrightarrow{DE} \parallel \overrightarrow{AC}, m(\angle A) = 110^\circ$$

$$\text{, } m(\angle D) = 70^\circ$$

Find : $m(\angle C)$

Is $\overrightarrow{AB} \parallel \overrightarrow{CD}$? (Give the reason)



[b] Using the geometric instruments , draw $\angle ABC$ where $m(\angle B) = 80^\circ$, then draw \overrightarrow{BD} to bisect it.
(Don't remove the arcs).


5 [a] In the opposite figure :

$$\overrightarrow{AC} \cap \overrightarrow{BD} = \{B\}$$

$$\text{, } m(\angle ABD) = 50^\circ$$

$$\text{, } m(\angle DBC) = 2x^\circ$$

Find in degrees the value of X




[b] In the opposite figure :

\overrightarrow{BD} bisects $\angle ABC$

$$\text{, } m(\angle DBC) = 35^\circ$$

$$\text{, } m(\angle BDC) = 120^\circ$$

Find : $m(\angle A)$ in degrees.



Model examination for the merge students

Answer the following questions :

1 Complete each of the following :

- 1 If $m(\angle A) = 100^\circ$, then $m(\text{reflex } \angle A) = \dots^\circ$
- 2 The angle whose measure is 50° complements an angle of measure \dots°
- 3 The two straight lines parallel to a third are \dots
- 4 Two triangles are congruent if two sides and \dots
- 5 If $\Delta ABC \cong \Delta XYZ$, then $m(\angle Z) = m(\angle \dots)$


2 Choose the correct answer from those given :

- 1 The sum of the measures of the accumulative angles at a point equals \dots .
 - (a) 630°
 - (b) 180°
 - (c) 90°
 - (d) 360°
- 2 The axis of symmetry of a line segment is \dots .
 - (a) perpendicular to it from its midpoint.
 - (b) parallel to it.
 - (c) equal to it in length.
 - (d) congruent to it.
- 3 The supplement of the angle whose measure is 30° is an angle of measure \dots .
 - (a) 60°
 - (b) 180°
 - (c) 150°
 - (d) 90°
- 4 The angle whose measure is more than 90° and less than 180° is \dots angle.
 - (a) an obtuse
 - (b) an acute
 - (c) a right
 - (d) a straight
- 5 If $\Delta ABC \cong \Delta XYZ$, then $AB = \dots$
 - (a) XY
 - (b) XZ
 - (c) YZ
 - (d) BC

3 Put (✓) for the correct statement and (✗) for the incorrect statement :

- 1 The right-angled triangle is congruent to the equilateral triangle. ()
- 2 The two angles whose measures are 100° and 80° are supplementary. ()
- 3 From the opposite figure :

- (a) $\overrightarrow{AB} \parallel \overrightarrow{EF}$ ()
- (b) $X = 70^\circ$ ()
- (c) $y = 180^\circ$ ()



4 [a] In the opposite figure :


$$m(\angle ABC) = 50^\circ, \overrightarrow{BA} \parallel \overrightarrow{CD}$$

Complete to find : $m(\angle BCD)$

$$\overrightarrow{BA} \parallel \dots \dots \dots$$

, then $m(\angle ABC) = m(\angle \dots \dots \dots)$ (..... angles)

$$, m(\angle BCD) = \dots \dots \dots^\circ$$




[b] From the opposite figure , complete :


1 $\Delta ABM \cong \Delta \dots \dots \dots$

2 $AB = \dots \dots \dots \text{ cm.}$


3 $m(\angle B) = m(\angle \dots \dots \dots)$




5 [a] In each of the following figures , find the value of X :




$$x = \dots \dots \dots^\circ$$



$$x = \dots \dots \dots^\circ$$



$$x = \dots \dots \dots^\circ$$




$$x = \dots \dots \dots^\circ$$

[b] In the opposite figure :

If $\Delta ABC \cong \Delta DEA$,

$AE = 3 \text{ cm.}$ and $DE = 4 \text{ cm.}$

, complete : $BE = \dots \dots \dots \text{ cm.}$



Some Schools Examinations

on Geometry

1

Cairo Governorate


Heliopolis Educational Directorate
St. Fatima Language School-Abbaesia

Answer the following questions :

1 Complete :

- 1 The measure of each of two equal complementary angles equals°
- 2 If $m(\angle A) = 180^\circ$, then $m(\text{reflex } \angle A) = \dots$ °
- 3 The straight line that is perpendicular to one of two parallel lines is also to the other.

4 In the opposite figure :

If $m(\angle AMB) = 60^\circ$, then $x = \dots$ 

- 5 If a straight line intersects two parallel straight lines, then each two corresponding angles are

2 Choose the correct answer :


- 1 If $m(\angle X) = 3m(\angle Y)$ and $\angle X, \angle Y$ are supplementary angles , then $m(\angle X) = \dots$
 - (a) 90°
 - (b) 180°
 - (c) 45°
 - (d) 135°
- 2 If $\triangle ABC \cong \triangle XYZ$ and $m(\angle X) + m(\angle Y) = 100^\circ$, then $m(\angle C) = \dots$
 - (a) 50°
 - (b) 100°
 - (c) 90°
 - (d) 80°
- 3 The supplement of the angle whose measure is 30° is an angle of measure
 - (a) 60°
 - (b) 180°
 - (c) 150°
 - (d) 20°
- 4 The ratio between the measures of two complementary angles is $2 : 7$, then the measure of the smaller angle is
 - (a) 40°
 - (b) 140°
 - (c) 60°
 - (d) 20°
- 5 If two straight lines intersect , then each two angles have the same measure.
 - (a) vertically opposite
 - (b) adjacent
 - (c) alternate
 - (d) corresponding
- 6 If $\triangle ABC \cong \triangle XYZ$, then $BC = \dots$
 - (a) XY
 - (b) YZ
 - (c) XZ
 - (d) AB

3 In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF}$$


$$, m(\angle A) = 40^\circ, m(\angle E) = 30^\circ$$

Find : $m(\angle ACE)$



4 [a] In the opposite figure :

Find the value of X



[b] In the opposite figure :


$$AC = AD, BC = BD$$

$$, m(\angle ACB) = 100^\circ$$

$$, m(\angle CAB) = 30^\circ$$

1 Prove that : $\Delta ABC \cong \Delta ABD$

2 Find : $m(\angle ABD)$




5 [a] Mention two cases of congruency of two triangles.

[b] In the opposite figure :

$$m(\angle ACE) = 30^\circ$$

$$, m(\angle CEB) = 110^\circ$$

Find : $m(\angle A)$



2

Cairo Governorate

Zieloun Educational Administration
Gomhouria Language School



Answer the following questions :

1 Choose the correct answer :


1 If two straight lines intersect , then each two vertically opposite angles are

- (a) equal in measure. (b) adjacent. (c) supplementary. (d) complementary.

2 If $\angle X \equiv \angle Y$ and $\angle X, \angle Y$ are complementary angles , then $m(\angle X) =$

- (a) 45° (b) 90° (c) 135° (d) 180°

Geometry


- 3** The best unit to measure the area of a room is
 (a) mm^2 (b) cm^2 (c) m^2 (d) km^2
- 4** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) = 45^\circ$, $m(\angle C) = 75^\circ$, then $m(\angle Y) =$
 (a) 60° (b) 65° (c) 55° (d) 100°
- 5** If L_1 , L_2 and L_3 are straight lines, $L_1 \perp L_3$, $L_2 \perp L_3$, then L_1 L_2
 (a) // (b) \perp (c) coincides (d) intersects
- 6** The number of rectangles of the opposite figure is 
- (a) 3 (b) 4 (c) 6 (d) 5

2 Complete each of the following :

- 1** If $m(\angle A) = 100^\circ$, then $m(\text{reflex } \angle A) =$ °
- 2** Two triangles are congruent if each of one triangle is equal to the corresponding part of the other triangle.
- 3** The perpendicular to a line segment from its midpoint is called
- 4** If the area of a rectangle is 20 cm^2 , its width is 4 cm., then the perimeter of the rectangle is cm.

5 In the opposite figure :


If $\overrightarrow{AB} \cap \overrightarrow{MC} = \{M\}$
 , then $X =$ °

**3 [a] In the opposite figure :**

$\overrightarrow{DE} \parallel \overrightarrow{AC}$, $m(\angle A) = 105^\circ$
 , $m(\angle D) = 75^\circ$

Find : $m(\angle C)$

Is $\overrightarrow{AB} \parallel \overrightarrow{CD}$? Giving the reason.



[b] By using your geometric instruments, draw \overrightarrow{AB} of length 6 cm., then draw the straight line L that is the axis of symmetry of \overrightarrow{AB} where $\overrightarrow{AB} \cap L = \{C\}$


4 [a] In the opposite figure :

$m(\angle C) = 80^\circ$, $\overrightarrow{CB} \cap \overrightarrow{AD} = \{M\}$
 , $MB = MC$, $MD = MA$, $CD = 5 \text{ cm.}$

Mention the conditions for

$\Delta ABM \cong \Delta DCM$ to be congruent

, and find : $m(\angle B)$




[b] In the opposite figure :

$$\overrightarrow{AF} \parallel \overrightarrow{DE} \parallel \overrightarrow{XY} \parallel \overrightarrow{BC}$$

$$, AD = DX = XB , AC = 9 \text{ cm.}$$

Find : The length of \overline{AY}




5 [a] In the opposite figure :

$$AB = AC , m(\angle ADB) = m(\angle ADC) = 90^\circ , BD = 5 \text{ cm.}$$

Mention the conditions for

$\triangle ABD \cong \triangle ACD$ to be congruent

, and find : The length of \overline{BC}




[b] In the opposite figure :

$$m(\angle AMB) = 50^\circ , m(\angle CMB) = 100^\circ$$

$$, m(\angle DMA) = 90^\circ$$

Find : $m(\angle CMD)$



3

Cairo Governorate

Dar El-Salam and
El-Basatoun Education Zone

Answer the following questions :

1 Complete :


- 1 The two adjacent angles formed by the intersection of a straight line and a ray with a starting point on this straight line are
- 2 The sum of measures of the accumulative angles at a point equals°
- 3 If $m(\angle X) = 140^\circ$, then the measure of the reflex angle of $\angle X$ =°
- 4 If two straight lines are perpendicular to a third , then the two straight lines are
- 5 If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) =^\circ$

2 Choose the correct answer :

- 1 If $\angle X \equiv \angle Y$ and $\angle X , \angle Y$ are complementary angles , then $m(\angle X) =^\circ$
 - (a) 45
 - (b) 90
 - (c) 180
 - (d) 30

Geometry

- 2** If the ratio between the measures of two supplementary angles is $5 : 13$, then the measure of the smaller angle is°
 (a) 130 (b) 50 (c) 180 (d) 150
- 3** If a straight line cuts two parallel lines, then each two corresponding angles are
 (a) equal in measure. (b) complementary.
 (c) supplementary. (d) right.
- 4** If $\Delta XYZ \cong \Delta ABC$, then
 (a) $BC = XZ$ (b) $YX = CA$ (c) $ZY = CB$ (d) $AB = YZ$
- 5** In the opposite figure : $X = \dots$ °
 (a) 50 (b) 30 (c) 90 (d) 15
- 6** If $\overline{XY} \equiv \overline{AB}$, $XY = 5$ cm., then $XY + 3AB = \dots$ cm.
 (a) 5 (b) 20 (c) 15 (d) 30




- 3 [a] In the opposite figure :**

$\overline{BC} \parallel \overline{EF}$, $m(\angle C) = 60^\circ$

, $m(\angle ADF) = 140^\circ$

Find each of the following : $m(\angle B)$ and $m(\angle A)$



- [b] Draw $\angle XYZ$ of measure 120° , then bisect it. (Don't remove the arcs)**


- 4 [a] In the opposite figure :**

If $m(\angle AMB) = 50^\circ$, $m(\angle BMC) = 60^\circ$

, $m(\angle DME) = 40^\circ$

and $\overline{MA} \perp \overline{ME}$

, find : $m(\angle CMD)$




- [b] In the opposite figure :**

$m(\angle X) = m(\angle L) = 90^\circ$, $YX = YL$

and $ZX = 5$ cm.

Prove that : $\Delta XYZ \cong \Delta LYX$, then find : the length of \overline{ZL}




- [c] Mention two cases of congruency of two triangles.**

- 5 [a] In the opposite figure :**

$\overline{AD} \cap \overline{BC} = \{M\}$

, $BM = MC$, $AM = MD$

Prove that : $\Delta AMB \cong \Delta DMC$




[b] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{DC}$, $m(\angle EBC) = 43^\circ$

, $m(\angle D) = 137^\circ$

Is $\overrightarrow{BC} \parallel \overrightarrow{AD}$? Giving reason.



4

Giza Governorate

El-Dokki Directorate
Math Inspection

Answer the following questions :

1 Choose the correct answer :


- 1 The angle whose measure is more than 180° and less than 360° is called
 (a) obtuse. (b) straight. (c) reflex. (d) acute.
- 2 The supplementary angle of the angle of measure 53° is an angle of measure
 (a) 53° (b) 37° (c) 127° (d) 180°
- 3 If $\triangle MLN \cong \triangle XYZ$, then $m(\angle N) = m(\angle \dots)$
 (a) M (b) X (c) Z (d) Y
- 4 The sum of measures of the accumulative angles at a point equals
 (a) 180° (b) 360° (c) 90° (d) 270°
- 5 The two angles of measures : 40° , 50° are
 (a) complementary. (b) supplementary. (c) reflex. (d) obtuse.
- 6 In $\triangle XYZ$, if $m(\angle X) + m(\angle Z) = 95^\circ$, then $m(\angle Y) = \dots$
 (a) 180° (b) 95° (c) 90° (d) 85°

2 Complete the following :

1 In the opposite figure :

$\overrightarrow{AC} \cap \overrightarrow{MD} = \{M\}$, $m(\angle AMD) = 30^\circ$

, $m(\angle CMD) = 3X$, then the value of X equals°



2 Two triangles are congruent if two sides and of one triangle are congruent to the corresponding parts of the other triangle.

3 If a straight line intersects two parallel straight lines, then each two corresponding angles are

4 If two adjacent angles are supplementary, then their two outer sides are

5 If $m(\angle B) = 80^\circ$, then $m(\text{reflex } \angle B) = \dots$ °


Geometry

3

[a] In the opposite figure :

$$\overrightarrow{AD} \cap \overrightarrow{BH} = \{M\}, m(\angle HMD) = 50^\circ$$


, \overrightarrow{MC} bisects $\angle BMD$

Find : $m(\angle AMC)$ 

[b] In the opposite figure :


$$\overrightarrow{MA} \perp \overrightarrow{MB}, m(\angle AMD) = 65^\circ$$

, $m(\angle DMC) = 150^\circ$

Find : $m(\angle BMC)$ 


4 [a] In the opposite figure :

$$\overrightarrow{AD} \parallel \overrightarrow{CB}, m(\angle BAD) = 60^\circ, m(\angle C) = 45^\circ$$

Find : $m(\angle BAC), m(\angle B)$ 


[b] In the opposite figure :

$$AD = BC, AB = CD$$

1 Is $\triangle ABD \cong \triangle CDB$? Why ?2 Complete : $m(\angle A) = m(\angle \dots)$ 

5 [a] In the opposite figure :

$$m(\angle B) = 30^\circ, m(\angle EDF) = 30^\circ$$

Is $\overrightarrow{DE} \parallel \overrightarrow{BA}$? Why ?[b] Using the geometric instruments , draw $\angle ABC$ of measure 115° , then draw \overrightarrow{BD} to bisect it.
(Don't remove the arcs)

5

Giza Governorate

Education Administration
of 6 October

Answer the following questions :

1 Choose the correct answer :

- 1 When a transversal cuts two parallel lines , then every two angles are equal in measure.
- (a) alternate (b) supplementary (c) complementary (d) adjacent

70

- 2** The perpendicular bisector of a line segment is called
 (a) symmetry axis. (b) parallel line. (c) intersecting line. (d) median.
- 3** If $m(\angle A) = 90^\circ$, then $m(\text{reflex } \angle A) = \dots$
 (a) 90° (b) 270° (c) 180° (d) 0°
- 4** The measure of the straight angle equals
 (a) 0° (b) 90° (c) 180° (d) 270°
- 5** The angle whose measure is 179° , is angle.
 (a) an acute (b) a right (c) an obtuse (d) a straight
- 6** If $\angle X \equiv \angle Y$ and $\angle X, \angle Y$ are supplementary angles, then $m(\angle X) = \dots$
 (a) 45° (b) 90° (c) 135° (d) 180°

2 Complete :


- 1** The angle whose measure is 36° complements an angle of measure° and supplements an angle of measure°
- 2** The two right-angled triangles are congruent if
- 3** If $\triangle ABC \equiv \triangle XYZ$, then $m(\angle A) = m(\angle \dots)$, and $XY = \dots$
- 4** The sum of measures of the accumulative angles at a point equals°
- 5** The angle whose measure is greater than 180° and less than 360° is called

3 [a] In the opposite figure :

$$AB = DE$$

$$, BC = AD, m(\angle CAB) = 57^\circ$$

Find the measures of the unknown angles in the triangle ADE


**[b] In the opposite figure :**

If $\triangle ACB \equiv \triangle ACD$, complete :

$$\text{1} m(\angle D) = \dots^\circ$$

$$\text{2} CD = \dots \text{ cm.}$$

$$\text{3} m(\angle ACD) = \dots^\circ$$




- 4 [a]** Draw the angle ABC where $m(\angle ABC) = 70^\circ$, then using the ruler and the compasses, draw \overline{BD} to bisect the angle. (Don't remove the arcs)

Geometry

[b] In the opposite figure :

$$\begin{aligned} m(\angle AMB) &= 30^\circ \\ , m(\angle BMC) &= 110^\circ \\ \text{and } m(\angle AMD) &= 90^\circ \end{aligned}$$

Find : $m(\angle CMD)$




5 [a] In the opposite figure :

$$\overrightarrow{AO} // \overrightarrow{HD} // \overrightarrow{YX} // \overrightarrow{CB}$$

$$, AD = DX = XB \text{ and } AC = 18 \text{ cm.}$$

Find : The length of \overline{AY}




[b] In the opposite figure :

$$\overrightarrow{AB} // \overrightarrow{CD}, \overrightarrow{EF} // \overrightarrow{CD}$$

$$, m(\angle A) = 42^\circ \text{ and } m(\angle C) = 117^\circ$$

Determine : $m(\angle AEC)$



6

Alexandria Governorate

El-Montaza Educational Zone
Maths Supervision



Answer the following questions :

1 Complete :

- 1 The angle of measure complements an angle of measure 25° .
- 2 The sum of measures of the accumulative angles at a point is equal to°.
- 3 In the opposite figure :

If the perimeter of the shape $ABDC = 20 \text{ cm.}$


and the length of $\overline{AD} = 6 \text{ cm.}$

, then the perimeter of $\triangle ABD = \dots \text{ cm.}$

- 4 If a straight line intersects two parallel straight lines

, then every two corresponding angles are in measure.

- 5 An angle has a measure of 120° , then the measure of its reflex angle is°.




2 Choose the correct answer :

1 In the opposite figure :

If $\overrightarrow{AB} \cap \overrightarrow{CD} = \{M\}$, then $x = \dots$

- (a) 30° (b) 45° (c) 60° (d) 90°




Final Examinations


- 2** If $m(\angle B) = 38^\circ$, then its supplementary angle is of measure
 (a) 52° (b) 142° (c) 228° (d) 322°

3 In the opposite figure : \overrightarrow{AM} bisects $\angle BAC$, then $m(\angle BAC) = \dots$



- (a) 38° (b) 76°
 (c) 142° (d) can't be calculated.

**4 In the opposite figure :** $X = \dots$

- (a) 70° (b) 90°
 (c) 110° (d) 290°


**5 In the opposite figure :** $\overline{AC} \cap \overline{BD} = \{M\}$, $AM = MD = 5 \text{ cm}$.and $m(\angle A) = m(\angle D)$, then $CD = \dots \text{ cm}$.

- (a) 5 (b) 7
 (c) 8 (d) 12


**[a] In the opposite figure :** $m(\angle ADB) = 90^\circ$, \overrightarrow{DC} bisects the reflex angle BDACalculate : $m(\angle BDC)$ **[b] In the opposite figure :** $AB = AD$, $BC = 7 \text{ cm}$, $m(\angle B) = 100^\circ$ and $m(\angle BAC) = m(\angle DAC) = 30^\circ$

- 1** Is $\triangle BAC \cong \triangle DAC$? Why?

- 2** Find : $m(\angle ACD)$ and the length of \overline{CD}

**[a] In the opposite figure :**ABC is a triangle where the point $A \in \overrightarrow{CD}$, $\overrightarrow{AE} // \overrightarrow{CB}$, $m(\angle DAE) = 70^\circ$ and $m(\angle EAB) = 55^\circ$

Calculate the measure of each angle in the triangle ABC



هذا العمل خاص بموقع ذا كرولى التعليمى ولا يسمح بتداوله على مواقع أخرى


Geometry

- [b] Draw a line segment \overline{AB} of length 8 cm. , then draw its line of symmetry.
(perpendicular bisector of it)

(Don't remove the arcs)

- 5 [a] In the opposite figure :


ABC is a triangle , E is the midpoint of \overline{AC} ,
 \overrightarrow{EF} intersects \overline{AB} at F , $m(\angle AFD) = 122^\circ$
and $m(\angle B) = 58^\circ$
Is $\overrightarrow{EF} \parallel \overrightarrow{CB}$? Why ?



- [b] In the opposite figure :

ABC is an isosceles triangle
and $\overline{AD} \perp \overline{BC}$

Why does $m(\angle C) = m(\angle B)$?



7

Alexandria Governorate

East Educational Zone
Inspectorate of Mathematics


Answer the following questions :

- 1 Choose the correct answer :

- 1 In the opposite figure :

$m(\angle C) = 80^\circ$, $\overrightarrow{AB} \parallel \overrightarrow{CD}$, then $x = \dots \dots \dots$

- (a) 80° (b) 50° (c) 40° (d) 100°



- 2 Two triangles are congruent if are congruent.

- (a) two corresponding sides
(b) two corresponding sides and the included angle
(c) a side and an angle with their corresponding
(d) their corresponding angles

- 3 If $\Delta ABC \cong \Delta XYZ$, then $BC = \dots \dots \dots$

- (a) XY (b) AB (c) XZ (d) YZ

- 4 The acute angle supplements angle.

- (a) an acute (b) a right (c) an obtuse (d) a straight

- 5 If two straight lines intersect , then each two angles have the same measure.

- (a) vertically opposite
(c) alternate
(d) corresponding

- 6 The image of the point $(-3, 5)$ by translation $(0, -10)$ is
 (a) $(3, -5)$ (b) $(-3, -5)$ (c) $(3, 5)$ (d) $(5, -3)$

2 Complete each of the following :

- 1 If a straight line intersects two parallel straight lines , then each two alternate angles are
 2 If the ratio between the measures of two supplementary angles is $1 : 2$, then the measure of the smaller angle equals
 3 If $\angle A \cong \angle B$, then $m(\angle A) - m(\angle B) =$
 4 The perpendicular bisector of a line segment is called
 5 The square has axes of symmetry.


3 [a] In the opposite figure :

$\overrightarrow{AB} \cap \overrightarrow{CD} = \{M\}$, $m(\angle AMC) = 40^\circ$
 and \overrightarrow{MD} bisects $\angle BME$

Find : $m(\angle AME)$


- [b] Using the ruler and the compasses , draw $\triangle ABC$ in which $AB = AC = 6 \text{ cm.}$, $BC = 5 \text{ cm.}$ Bisect $\angle B$, $\angle C$ by two bisectors which intersect at M

(Don't remove the arcs)



4 [a] In the opposite figure :


$m(\angle BAD) = m(\angle BCD) = 90^\circ$
 $, m(\angle ADB) = 31^\circ$, $AB = CB = 3 \text{ cm.}$, $AD = 5 \text{ cm.}$



- 1 Is $\triangle ABD \cong \triangle CBD$? Why ?
 2 Find : The length of \overline{CD}
 3 Find : $m(\angle ADC)$

[b] In the opposite figure :



$\overrightarrow{AD} \parallel \overrightarrow{BC}$
 $, \overrightarrow{AD}$ bisects $\angle EAB$
 $, m(\angle ABC) = 51^\circ$



Find : $m(\angle BAD)$ and $m(\angle C)$

Geometry

5

[a] In the opposite figure : $\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF}$, $AC = CE$, $DB = 5 \text{ cm}$.**Find :** The length of \overline{BF}
, by giving the reason.**[b] In the opposite figure :**The polygon ABCF \cong the polygon EDCF, $m(\angle EFC) = 110^\circ$, $BC = 5 \text{ cm}$.**Find :** 1 $m(\angle AFC)$, $m(\angle AFE)$, $m(\angle FCB)$
2 The length of \overline{BD} 

8

El-Kalyoubia Governorate

Directorate of Education
Math Supervision**Answer the following questions :****1 Choose the correct answer from those given :**

- 1 If two straight lines intersect , then each two angles have the same measure.
(a) corresponding (b) alternate (c) adjacent (d) vertically opposite
- 2 If two straight lines are perpendicular to a third , then the two straight lines are
(a) intersecting. (b) perpendicular. (c) parallel. (d) coincident.
- 3 The rectangle has lines of symmetry.
(a) zero (b) 2 (c) 3 (d) 4
- 4 If $\triangle ABC \cong \triangle LMN$, then $m(\angle BCA) = m(\angle \dots)$
(a) MNL (b) MLN (c) NML (d) NLM
- 5 If $\overline{AB} \cong \overline{CD}$, then $AB - CD = \dots$
(a) 1 (b) 2 (c) zero (d) 5
- 6 Any two line segments are congruent if they are equal in
(a) measure. (b) capacity. (c) weight. (d) length.

2 Complete the following :

- 1 The two straight lines parallel to a third are
- 2 If $m(\angle B) = 110^\circ$, then $m(\text{reflex } \angle B) = \dots^\circ$
- 3 The two adjacent angles formed by intersecting of a straight line and a ray are

4 The two right-angled triangles are congruent if


5 A square of side length 7 cm. , then its area = cm².

3 [a] In the opposite figure :

$$\overline{AD} \cap \overline{BC} = \{M\}, MB = MC, MA = MD$$

Write the conditions for $\triangle AMB$ and $\triangle DMC$ to be congruent :


1 2 3



[b] Using the opposite figure , complete :

$$\begin{aligned} 1 \quad m(\angle AMB) + m(\angle BMC) \\ + m(\angle CMD) + m(\angle DMA) =^{\circ} \end{aligned}$$

$$\begin{aligned} 2 \quad m(\angle BMC) = - \\ =^{\circ} \end{aligned}$$




4 [a] In the opposite figure :

$\overrightarrow{BA} // \overrightarrow{CD}$, $m(\angle B) = 80^{\circ}$, \overrightarrow{CF} bisects $\angle DCE$

Complete :

$$1 \quad m(\angle DCE) = m(\angle \dots) =^{\circ}$$

$$2 \quad m(\angle ECF) =^{\circ}$$




[b] Using the opposite figure , complete :

1 $\triangle ABC \cong \triangle EDA$

because , ,

$$2 \quad m(\angle EAD) =^{\circ}$$




5 [a] In the opposite figure :

$\overrightarrow{DE} // \overrightarrow{AC}$, $\overrightarrow{AB} // \overrightarrow{CD}$, $m(\angle D) = 65^{\circ}$

Complete :

$$1 \quad m(\angle C) = m(\angle \dots) =^{\circ}$$

$$2 \quad m(\angle A) =^{\circ} \text{ because } \dots$$



[b] By using your geometric instruments , draw \overline{AB} , where $AB = 8 \text{ cm}$. and draw the axis of symmetry of \overline{AB} (Don't remove the arcs).



Answer the following questions :


1 Complete each of the following :

- 1 The angle whose measure is 30° complements an angle of measure°.
- 2 If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 110^\circ$, then $m(\angle Z) = \dots$ °.
- 3 If $m(\angle A) = 140^\circ$, then $m(\text{reflex } \angle A) = \dots$ °.
- 4 If a straight line cuts two parallel straight lines, then each two corresponding angles are

5 In the opposite figure :

If $\overrightarrow{BA} \perp \overrightarrow{BC}$

, then $m(\angle CBD) = \dots$ °.



2 Choose the correct answer :

1 In the opposite figure :


$m(\angle D) = \dots$

(a) 25°

(c) 60°

(b) 30°

(d) 125°



2 In the opposite figure :

$m(\angle ABF) = \dots$

(a) 45°

(b) 90°

(c) 135°

(d) 40°

3 The angle of measure 98° its type is

(a) acute.

(b) right.

(c) obtuse.

(d) straight.

4 The sum of measures of the accumulative angles at a point equals

(a) 90°

(b) 180°

(c) 630°

(d) 360°

5 If $m(\angle A) = 2m(\angle B)$, $\angle A$ supplements $\angle B$, then $m(\angle B) = \dots$

(a) 30°

(b) 60°

(c) 90°

(d) 120°

6 The obtuse angle supplements angle.

(a) an acute

(b) an obtuse

(c) a zero


(d) a right

3 [a] In the opposite figure :

$m(\angle BAD) = m(\angle BCD) = 90^\circ$
 $, AB = CB = 5 \text{ cm.}, AD = 3 \text{ cm.}$


Mention the conditions for ΔABD , ΔCBD to be congruent

, then find : The length of \overline{CD}



[b] In the opposite figure :

If $\overrightarrow{AB} \parallel \overrightarrow{CD}$, $m(\angle D) = 65^\circ$, $m(\angle A) = 115^\circ$
, then prove that : $\overrightarrow{AC} \parallel \overrightarrow{DE}$




4 [a] In the opposite figure :

If $B \in \overleftrightarrow{AC}$, $m(\angle DBC) = 135^\circ$

and \overrightarrow{BA} bisects $\angle DBE$


, find :

- 1 $m(\angle ABD)$ 2 $m(\angle DBE)$ 3 $m(\angle CBE)$



[b] From the opposite figure , complete :

- 1 $\Delta ABM \equiv \Delta \dots$
2 $AB = \dots \text{ cm.}$
3 $m(\angle B) = m(\angle \dots)$




5 [a] In the opposite figure :

$m(\angle BMA) = 100^\circ$

, $m(\angle AMD) = 90^\circ$

, $m(\angle DMC) = 50^\circ$

Find with steps : $m(\angle BMC)$

[b] Draw the line segment AB of length 8 cm. , then construct the axis of symmetry of \overline{AB}
(Don't remove the arcs)

10

El-Monofia Governorate


Shibon Elkom Directorate
Supervisor of Math

Answer the following questions :


1 Choose the correct answer :

- 1 If $m(\angle A) = 130^\circ$, then $m(\text{reflex } \angle A) = \dots$
(a) 130° (b) 50° (c) 285° (d) 230°

Geometry

- 2** If the triangle ABC \cong the triangle XYZ , then $\overline{AC} \equiv$
 (a) \overline{AB} (b) \overline{XY} (c) \overline{YZ} (d) \overline{XZ}
- 3** If two adjacent angles are supplementary , then their outer sides are
 (a) perpendicular . (b) coincident.
 (c) skew. (d) on the same straight line.
- 4** If the perimeter of a square is 24 cm. , then its area is
 (a) 8 cm². (b) 9 cm². (c) 3 cm². (d) 36 cm².
- 5** In the opposite figure : The number of rectangles = 
- (a) 4 (b) 6 (c) 8 (d) 10
- 6** If L // M , L // N , then the two straight lines M and N are
 (a) perpendicular. (b) parallel. (c) intersecting. (d) congruent.

2 Complete :

- 1** Two triangles are congruent if two sides and congruent with the corresponding parts from the other triangle.
- 2** If a straight line cuts two straight lines and two corresponding angles are equal in measure , then the two straight lines are
- 3** The angle of measure 50° complements an angle of measure^o
- 4** Two angles are congruent if
- 5** The perimeter of the opposite figure equals cm. 


- 3** [a] Use the geometric instruments to draw $\angle ABC$ of measure 125° , then bisect it.
 (Don't remove the arcs)

[b] In the opposite figure :

$\overline{AD} \cap \overline{BE} = \{C\}$, $AC = CD$
 $, BC = CE$, $AB = 7 \text{ cm.}$, $m(\angle B) = 80^\circ$


1 Is $\triangle ABC \cong \triangle DEC$? Why ?

2 Find : The length of \overline{ED} , $m(\angle E)$



- 4** [a] In the opposite figure :

$B \in \overline{AC}$
 $, \overrightarrow{BE}$ bisects $\angle DBC$, $m(\angle ABD) = 40^\circ$
 Find : $m(\angle DBC)$, $m(\angle ABE)$



Final Examinations

[b] In the opposite figure :


$$\overrightarrow{XY} \parallel \overrightarrow{DE}$$

, $m(\angle XAB) = 80^\circ$, $m(\angle B) = 80^\circ$

, $AD = BD$, $AC = 10\text{ cm}$.

Is $\overrightarrow{DE} \parallel \overrightarrow{BC}$? Why ?

Find : The length of \overrightarrow{AE} , give reason




5 [a] In the opposite figure :

$$AB = CB, AD = CD$$

, $m(\angle CDB) = 25^\circ$

Is $\triangle ABD \cong \triangle CBD$? Why ?

Find : $m(\angle ADC)$




[b] In the opposite figure :

$$\overrightarrow{BA} \parallel \overrightarrow{CD} \parallel \overrightarrow{EO}$$

, $m(\angle ABC) = 30^\circ$

, $m(\angle CEO) = 110^\circ$

Find : $m(\angle BCE)$



11

El-Gharbia Governorate

The central Maths Supervision
Official Language Schools



Answer the following questions :

1 Choose the correct answer :

- 1 If $m(\angle A) = 65^\circ$, then $m(\text{reflex } \angle A) = \dots$
 - (a) 305°
 - (b) 295°
 - (c) 25°
 - (d) 115°
- 2 The acute angle complements angle.
 - (a) a right
 - (b) an obtuse
 - (c) an acute
 - (d) a straight
- 3 ABCD is a rectangle , then $\overline{AC} \equiv \dots$
 - (a) \overline{BD}
 - (b) \overline{AD}
 - (c) \overline{DC}
 - (d) \overline{BC}
- 4 The sum of measures of the accumulative angles at one point equals
 - (a) 90°
 - (b) 180°
 - (c) 270°
 - (d) 360°
- 5 If $\angle X$ supplements $\angle Y$ and $m(\angle X) = \frac{1}{2} m(\angle Y)$, then $m(\angle Y) = \dots$
 - (a) 30°
 - (b) 45°
 - (c) 60°
 - (d) 120°
- 6 The two straight lines parallel to a third straight line are
 - (a) intersecting.
 - (b) parallel.
 - (c) coincident.
 - (d) perpendicular.

Geometry

2 Complete each of the following :

1 The angle whose measure is more than 90° and less than 180° is


2 Two angles are congruent if

3 If two adjacent angles are complementary , then their outer sides are

4 In the opposite figure :

$m(\angle ADC) = 30^\circ$ and $m(\angle BDC) = 5x$, then $x =$

5 If a straight line intersects two parallel straight lines , then each two alternate angles are




3 [a] In the opposite figure :

$m(\angle XMZ) = 90^\circ$

, $m(\angle ZMY) = 110^\circ$

and $m(\angle YML) = 50^\circ$

Find by steps : $m(\angle XML)$




[b] In the opposite figure :

$AB = CB$, $AD = CD$, $m(\angle C) = 100^\circ$

and $m(\angle BDC) = 30^\circ$ Is $\triangle ABD \cong \triangle CBD$? Why ?

, then find : $m(\angle ABD)$ (Write the steps)




4 [a] In the opposite figure :

$m(\angle C) = 100^\circ$, $m(\angle A) = 30^\circ$

, $\overrightarrow{AB} \parallel \overrightarrow{EF} \parallel \overrightarrow{CD}$

Find by steps : $m(\angle AEC)$



[b] Draw $\angle ABC$ of measure 80° , then using the ruler and compasses bisect $\angle B$


(Don't remove the arcs)

5 [a] In the opposite figure :

$\overrightarrow{DE} \parallel \overrightarrow{AC}$, $m(\angle A) = 120^\circ$, $m(\angle D) = 60^\circ$

1 Find : $m(\angle C)$

2 Is $\overrightarrow{AB} \parallel \overrightarrow{CD}$? Why ?




[b] In the opposite figure :

\overrightarrow{BD} bisects $\angle ABC$, $m(\angle DBC) = 35^\circ$

, $m(\angle BDC) = 110^\circ$

Find by steps : $m(\angle C)$ and $m(\angle A)$



12

Ismailia Governorate

Directorate of Education
Al-Manar Language School

Answer the following questions :

1 Choose the correct answer :

- 1 If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots$
 (a) 50° (b) 80° (c) 90° (d) 100°
- 2 If $\angle M \equiv \angle N$ and $\angle M$, $\angle N$ are supplementary angles, then $m(\angle M) = \dots$
 (a) 180° (b) 45° (c) 360° (d) 90°
- 3 The sum of the measures of the accumulative angles at a point is right angles.
 (a) 360 (b) 2 (c) 4 (d) 630
- 4 If two straight lines are parallel to a third straight line, then they are
 (a) perpendicular. (b) parallel. (c) coincident. (d) intersecting.
- 5 The measure of the complement of an angle of measure 20° is
 (a) 70° (b) 180° (c) 90° (d) 160°
- 6 The type of the angle of measure 185° is angle.
 (a) an acute. (b) a reflex. (c) an obtuse. (d) a straight.


2 Complete :

- 1 If $\triangle ABC \cong \triangle XYZ$, then $AC - XZ = \dots$
- 2 The two adjacent angles formed by intersecting of a straight line and a ray are
 3 If a straight line intersects two parallel lines, then each two corresponding angles are
 4 Two triangles are congruent if two sides and the angle of one of them are congruent to their corresponding parts of the other.
 5 The right angle supplements an angle of measure°

3 [a] In the opposite figure :

$$\overrightarrow{BA} \parallel \overrightarrow{CD}, \overrightarrow{CB} \parallel \overrightarrow{DE}$$


$$, m(\angle B) = 110^\circ$$

Find : $m(\angle D)$ 

Geometry

[b] In the opposite figure :

$m(\angle A) = m(\angle C) = 90^\circ$
 $, AB = BC = 5 \text{ cm.}, AD = 3 \text{ cm.}$




1 Mention the conditions for $\triangle ABD, \triangle CBD$ to be congruent.

2 Find : The length of \overline{CD}

4 [a] In the opposite figure :


$\overrightarrow{AC} \cap \overrightarrow{BD} = \{B\}$
 $, m(\angle ABD) = 30^\circ$
 $, m(\angle DBC) = 5X$



Find in degrees : The value of X

[b] In the opposite figure :


$m(\angle AME) = 90^\circ, m(\angle AMB) = 50^\circ$
 $, m(\angle BMC) = 60^\circ, m(\angle DME) = 40^\circ$



Find : $m(\angle DMC)$

5 [a] In the opposite figure :

$\overrightarrow{AF} // \overrightarrow{ED} // \overrightarrow{YX} // \overrightarrow{CB}$
 $, AD = DX = XB$
 $, AC = 9 \text{ cm.}$



Find : The length of \overline{AY}

[b] Using the geometric tools , draw $\angle ABC$ whose measure is 120° , then draw the bisector of $\angle ABC$

13

Damietta Governorate

Damietta Education Zone
Inspector of Math



Answer the following questions :

1 Choose the correct answer :

- 1 The angle of measure $95^\circ 60$ is supplementary to an angle of measure
 (a) 75 (b) 84 (c) 90 (d) 100
- 2 The triangle whose perimeter is 12 cm. and the lengths of its two sides are 2 cm. , 5 cm. , is called
 (a) isosceles. (b) equilateral. (c) right. (d) scalene.

- 3** The two vertically opposite angles are
 (a) corresponding. (b) congruent. (c) supplementary. (d) alternate.
- 4** If \overline{AB} , \overline{CD} are congruent , then $AB - CD = \dots$
 (a) zero (b) 1 (c) 2 (d) 3
- 5** If the two triangles ABC , XYZ are congruent , $m(\angle X) = 50^\circ$ and $m(\angle Z) = 60^\circ$,
 then $m(\angle B) = \dots^\circ$
 (a) 50 (b) 60 (c) 70 (d) 110
- 6** If two straight lines are parallel to a third , then they are
 (a) perpendicular. (b) parallel. (c) coincident. (d) intersecting.

2 Complete :

- 1** The perpendicular straight line to a line segment from its midpoint , is called

- 2** If a straight line cuts two parallel straight lines , then each two alternate angles are

- 3** If $m(\angle B) = 115^\circ$, then $m(\text{reflex } \angle B) = \dots^\circ$
- 4** The two adjacent angles resulting from intersection of a ray and a straight line are

- 5** If the triangle ABC \cong the triangle XYZ , then $m(\angle C) = m(\angle \dots)$

- 3** [a] Draw \overline{AB} of length 6 cm. , then draw its axis of symmetry by using geometrical tools.
 (Don't remove the arcs)


[b] In the opposite figure :

$$\overrightarrow{BA} \parallel \overrightarrow{CD} \parallel \overrightarrow{HO}$$

$$, m(\angle H) = 30^\circ$$

$$, m(\angle B) = 60^\circ$$

Find : $m(\angle BCH)$, give reason.



- 4** [a] In the opposite figure :

$$\overrightarrow{CD} \parallel \overrightarrow{BA} , m(\angle C) = 90^\circ$$

, BH bisects $\angle ABO$

Find : $m(\angle OBH)$, give reason.

- [b] In the opposite figure :


$$m(\angle AMB) = 50^\circ$$

$$, m(\angle BMC) = 100^\circ$$

$$, m(\angle CMD) = 110^\circ$$

$$, m(\angle AMD) = 2x$$

Find : The value of x , give reason.



Geometry

- 5** [a] Mention two cases of congruency of two triangles.

[b] In the opposite figure :

If $AB = AD$, $BC = 4 \text{ cm}$.


, $m(\angle B) = 50^\circ$

, $m(\angle BAC) = m(\angle DAC) = 30^\circ$

Are the two triangles BAC and DAC congruent ?

Write the conditions and the results.

, then find : $m(\angle D)$, the length of \overline{CD}

**14**

Beni Suef Governorate

Directorate of Official Language Schools



Answer the following questions :

- 1** Choose the correct answer :

1 Two complementary angles are two angles whose sum of their measures is

(a) 45°

(b) 90°

(c) 100°

(d) 180°

- 2** In the opposite figure :

If $\overline{AB} \cap \overline{CD} = \{M\}$, $m(\angle AMD) = 150^\circ$

and $m(\angle CMB) = 3x$, then the value of $x =$

(a) 25°

(b) 50°

(c) 100°

(d) 150°

3 If $\Delta ABC \cong \Delta XYZ$, then $AC =$

(a) BC

(b) YZ

(c) XZ

(d) XY

4 If two straight lines are parallel to a third straight line, then these two straight lines are to each other.

(a) intersecting

(b) perpendicular

(c) coincident

(d) parallel

5 The angle of measure 179° is angle.

(a) an acute

(b) a right

(c) an obtuse

(d) a straight

6 $\overline{AB} \dots \overline{AB}$

(a) \in

(b) \notin

(c) \subset

(d) $\not\subset$

- 2** Complete :

1 The reflex angle is the angle whose measure is more than° and less than°

2 Two triangles are congruent if two angles and

- 3 If $\angle A \equiv \angle B$ and $m(\angle A) = 50^\circ$, then $m(\angle B) = \dots$.
- 4 If a straight line intersects two parallel straight lines, then every two interior angles on one side of the transversal are
- 5 In $\triangle ABC$, if $m(\angle A) = 40^\circ$ and $m(\angle B) = 80^\circ$, then $m(\angle C) = \dots$.

3 [a] Using the geometric instruments, draw $\angle ABC$ of measure 120° , then draw \overrightarrow{BF} to bisect the angle.
(Don't remove the arcs)


[b] In the opposite figure :

If $B \in \overleftrightarrow{AC}$

, $m(\angle DBC) = 130^\circ$

and \overrightarrow{BA} bisects $\angle DBE$

, find : $m(\angle ABD)$ and $m(\angle DBE)$ (Give reason)




4 [a] In the opposite figure :

$AD = DC$, $AB = 7\text{ cm}$.

and $m(\angle ADB) = m(\angle BDC) = 40^\circ$

1 Prove that : $\triangle ABD \cong \triangle CBD$

2 Find : The length of \overline{BC} (Give reason)




[b] In the opposite figure :

$m(\angle BAD) = m(\angle BCD) = 90^\circ$

and $AB = DC$

Is $\triangle ABD \cong \triangle CDB$? Why?




5 [a] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{CD}$, $\overrightarrow{DE} \parallel \overrightarrow{CA}$

and $m(\angle EDC) = 70^\circ$

Find : $m(\angle DCA)$ and $m(\angle BAF)$ (Give reason)




[b] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF} \parallel \overrightarrow{XY}$, $AC = 5\text{ cm}$.

and $BD = DF = FX$

Find : The length of \overline{AY} (Give reason)



15

South Sinai Governorate

South Sinai Educational Zone

*Answer the following questions :***1 Choose the correct answer :**

- 1** The angle whose measure is 30° complements the angle whose measure is
 - (a) 90
 - (b) 180
 - (c) 60
 - (d) 150

- 2** The sum of measures of the two supplementary angles equals $^\circ$.
 - (a) 90
 - (b) 100
 - (c) 360
 - (d) 180

- 3** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) = 60^\circ$, $m(\angle B) = 40^\circ$, then $m(\angle Z) = \dots \cdot$
 $^\circ$.
 - (a) 100
 - (b) 70
 - (c) 80
 - (d) 90

- 4** If $m(\angle X) = 100^\circ$, then $m(\text{reflex } \angle X) = \dots \cdot$
 $^\circ$.
 - (a) 360
 - (b) 180
 - (c) 260
 - (d) 80

- 5** If two straight lines intersect, then each two angles are equal in measure.
 - (a) corresponding
 - (b) alternate
 - (c) adjacent
 - (d) vertically opposite


- 6** The sum of measures of two adjacent angles formed by the intersection of a straight line and a ray with a starting point on this straight line equals $^\circ$.
 - (a) 90
 - (b) 180
 - (c) 270
 - (d) 360

2 Complete :

- 1** The two perpendicular lines on a third are
- 2** A circle of radius length 7 cm., then its area = cm^2 (where $\pi = \frac{22}{7}$)
- 3** The two right-angled triangles are congruent if , are congruent to their corresponding parts in the other triangle.
- 4** If the two lines L_1 , L_2 are two parallel lines, then $L_1 \cap L_2 = \dots \cdot$
- 5** The measure of each angle of the two equal complementary angles equals $^\circ$.

3 [a] In the opposite figure :

$$m(\angle AMB) = 110^\circ, m(\angle AMD) = 90^\circ \\ , m(\angle DMC) = 40^\circ$$

Find : $m(\angle BMC)$ 

Final Examinations


[b] In the opposite figure :

$$m(\angle A) = m(\angle C) = 90^\circ$$

$$, AD = 3 \text{ cm.}, m(\angle ABD) = 30^\circ, AB = BC$$

Write the conditions of congruency
of the two triangles ABD , CBD

, then find : The length of \overline{CD} and $m(\angle DBC)$


**| [a] In the opposite figure :**

$$\overrightarrow{AB} \parallel \overrightarrow{CD}, m(\angle A) = 115^\circ$$

$$, m(\angle D) = 65^\circ$$

Find : $m(\angle C)$


Is $\overrightarrow{AC} \parallel \overrightarrow{DE}$? Give reason.

**[b] In the opposite figure :**

$$\overrightarrow{AC} \cap \overrightarrow{BD} = \{E\}$$

$$, AE = ED, m(\angle A) = m(\angle D)$$

Write the conditions of congruency of the two triangles.




5 [a] By using your geometric instruments , draw $\angle ABC$ whose measure is 80°
, then draw \overrightarrow{BD} to bisect the angle.

[b] In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF}$$

$$, AC = CE, BF = 10 \text{ cm.}$$

Find by reason : The length of \overrightarrow{BD}



Final Examinations 2020

on Geometry



1


Cairo Governorate

Near City Educational Zone
St.Fatima Language School**Answer the following questions :**موقع جديد زاكرولى على موقعنا
<https://www.zakrooly.com>**1 Choose the correct answer :**


- 1** If $\angle X \cong \angle Y$ and $\angle X, \angle Y$ are supplementary angles , then $m(\angle X) = \dots\dots\dots$
 (a) 45° (b) 90° (c) 135° (d) 180°
- 2** If two straight lines are perpendicular to a third , then the two straight lines are
 (a) perpendicular. (b) parallel. (c) intersecting. (d) congruent.
- 3** If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots\dots\dots$
 (a) 90° (b) 100° (c) 50° (d) 80°

4 From the opposite figure : $X = \dots\dots\dots$

- (a) 60° (b) 140°
 (c) 30° (d) 180°

**5 In the opposite figure :** $\overleftrightarrow{AF} \parallel \overleftrightarrow{XD} \parallel \overleftrightarrow{YE} \parallel \overleftrightarrow{CB}$, $AX = XY = YC$, then $AD : AB = \dots\dots\dots$

- (a) $1 : 1$ (b) $1 : 2$ (c) $1 : 3$

**6 If $\triangle ABC \cong \triangle LMN$, then $m(\angle ACB) = m(\angle \dots\dots\dots)$**


- (a) LMN (b) MLN (c) LNM (d) NLM

2 Complete :

- 1** If the ratio between the measures of two adjacent supplementary angles is $1 : 2$, then the measure of the largest angle is°

- 2** If $m(\angle A) = 120^\circ$, then $m(\text{reflex } \angle A) = \dots\dots\dots^\circ$


- 3** Two triangles are congruent if each side of

**4 From the opposite figure :** $X = \dots\dots\dots^\circ$ 

هذا العمل حصري على موقع زاكرولى التعليمى ويسمح بمشاركته فقط ولا يسمح بتداوله على أي موقع آخر
 للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الالكتروني من هنا <https://www.zakrooly.com>

5 From the opposite figure :

$$m(\angle BMC) = \dots \circ$$




3 [a] In the opposite figure :

$$AB = BC, AD = CD$$

$$, m(\angle C) = 80^\circ$$

$$, m(\angle BDC) = 40^\circ$$

Prove that : $\triangle CBD \cong \triangle ABD$ and find : $m(\angle ABD)$




[b] In the opposite figure :

$$\overrightarrow{DE} \parallel \overrightarrow{AC}, m(\angle A) = 110^\circ$$

$$, m(\angle D) = 70^\circ$$

Prove that : $\overrightarrow{AB} \parallel \overrightarrow{CD}$



4 [a] In each of the following figures , find the value of X and give reason to your answer :




Fig. (1)




Fig. (2)

[b] Draw any acute-angled triangle , construct the perpendicular bisector of each side.


Do the perpendicular bisectors intersect at one point ?

5 [a] From the opposite figure :

Prove that :

The two triangles LMN and NZL are congruent

, then find : $m(\angle LNZ)$




[b] In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{CE}, m(\angle BAD) = 120^\circ$$

$$, m(\angle BCD) = 30^\circ$$

, $m(\angle BAD)$ is four times $m(\angle FDE)$

Prove that : $\overrightarrow{DF} \parallel \overrightarrow{BC}$ and $\overrightarrow{DF} \perp \overrightarrow{AD}$



2

Cairo Governorate

El-Zaitoun Educational Zone
El-Ma'eref Modern Language School**Answer the following questions :****1 Choose the correct answer :**

- 1** If two straight lines are perpendicular to a third , then the two straight lines are
 (a) perpendicular. (b) parallel. (c) congruent. (d) intersecting.
- 2** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots$
 (a) 50° (b) 90° (c) 80° (d) 100°
- 3** The image of the point $(-3, 5)$ by translation of 3 units in the negative direction of the y-axis is
 (a) $(-3, 2)$ (b) $(-3, 8)$ (c) $(-6, 5)$ (d) $(0, 8)$


4 In the opposite figure :

$$\overleftrightarrow{BA} \cap \overleftrightarrow{CD} = \{C\}$$

$$, m(\angle DCA) = 80^\circ$$

$$, \text{then } x = \dots$$

$$(a) 20^\circ \quad (b) 25^\circ \quad (c) 30^\circ \quad (d) 100^\circ$$



- 5** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) = 50^\circ$, $m(\angle Y) = 60^\circ$

$$, \text{then } m(\angle C) = \dots$$


$$(a) 50^\circ \quad (b) 60^\circ \quad (c) 70^\circ \quad (d) 80^\circ$$

- 6** The measure of the supplement of the angle whose measure is 30° equals

$$(a) 60^\circ \quad (b) 180^\circ \quad (c) 90^\circ \quad (d) 150^\circ$$


2 Complete the following :

- 1** If a straight line intersects two parallel straight lines , then each two corresponding angles are

**2 In the opposite figure :**

$$x = \dots$$

- 3** If $\angle X$ complements $\angle Y$ and $\angle X \equiv \angle Y$, then $m(\angle X) = \dots^\circ$




- 4** The perimeter of the opposite figure is cm.

- 5** The two right-angled triangles are congruent if

3 [a] From the opposite figure , find :

$m(\angle ECF)$


Give the reason.



[b] From the opposite figure , find :

$m(\angle BMC)$

With steps.




4 [a] In the opposite figure :

$AB = BC, AD = CD, m(\angle C) = 80^\circ, m(\angle BDC) = 40^\circ$

1 Prove that : $\Delta CBD \cong \Delta ABD$

2 Find : $m(\angle ABD)$




[b] By using your geometric instruments , draw $\angle ABC$ of measure 110° , then draw \overline{BF} to bisect the angle.

5 [a] From the opposite figure :

Prove that : 1 $\Delta ROP \cong \Delta SPO$

$2 m(\angle RPS) = m(\angle SOR)$



[b] In the opposite figure :

$\text{If } \overrightarrow{AB} \parallel \overrightarrow{CD}, m(\angle D) = 65^\circ, m(\angle A) = 115^\circ$

, then prove that :

$\overline{AC} \parallel \overline{DE}$

3

Cairo Governorate

Zone Educative Abdine
Lycee Bab El-Louk



Answer the following questions :

1 Choose the correct answer :

1 If $\angle X$ complements $\angle Y$ and $\angle X \equiv \angle Y$, then $m(\angle X) = \dots$

- (a) 45° (b) 90° (c) 180° (d) 360°

2 If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots$

- (a) 50° (b) 80° (c) 90° (d) 100°

- 3** If two straight lines are perpendicular to a third , then the two straight lines are
 (a) perpendicular. (b) parallel. (c) congruent. (d) intersecting.
- 4** The sum of the measures of the accumulative angles at a point is
 (a) 630° (b) 180° (c) 90° (d) 360°
- 5** The measure of the supplement of the angle whose measure is 30° equals
 (a) 60° (b) 180° (c) 150° (d) 90°
- 6** The angle whose measure is more than 90° and less than 180° is angle.
 (a) an obtuse (b) an acute (c) a right (d) a straight


2 Complete the following :

- 1** The two triangles are congruent if two sides and are congruent with the corresponding parts of the other.
- 2** If $\Delta ABC \cong \Delta XYZ$, then $m(\angle Z) = m(\angle \dots)$
- 3** The sum of the measures of the accumulative angles at a point equals°
- 4** If $m(\angle A) = 110^\circ$, then $m(\text{reflex } \angle A) = \dots^\circ$
- 5** The two adjacent angles formed by intersecting of a straight line and a ray are


3 [a] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF}$, $m(\angle A) = 45^\circ$
 $, m(\angle E) = 130^\circ$

Find : $m(\angle ACE)$


**[b] In the opposite figure :**

$\overline{AD} \cap \overline{BC} = \{M\}$, $BM = MC$, $AM = MD$
 , write the conditions
 for $\Delta AMB \cong \Delta DMC$ to be congruent.

**4 [a] In the opposite figure :**

If $B \in \overleftrightarrow{AC}$, $m(\angle DBC) = 135^\circ$
 and \overrightarrow{BA} bisects $\angle DBE$

Find : 1 $m(\angle ABD)$ 2 $m(\angle DBE)$ 3 $m(\angle CBE)$

**[b] By using your geometric instruments , draw $\angle ABC$ whose measure is 130°
 , then draw \overrightarrow{BF} to bisect the angle.**


5 [a] In the opposite figure :

$$\overleftrightarrow{AC} \cap \overleftrightarrow{BD} = \{B\}$$

$$, m(\angle ABD) = 60^\circ$$

$$, m(\angle DBC) = 4x^\circ$$

Find in degrees : The value of x




[b] In the opposite figure :

$$\overleftrightarrow{BD} \text{ bisects } \angle ABC, m(\angle DBC) = 35^\circ$$

$$, m(\angle BDC) = 120^\circ$$

Find : $m(\angle A)$ in degrees.



4

Giza Governorate

El-Haram Zone
El-Maarefa Exp. Lang. School

Answer the following questions :



تابعنا على صفحتنا على الفيسبوك
www.facebook.com/ZakrolySite

1 Choose the correct answer :

1 If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) = 50^\circ$, $m(\angle B) = 60^\circ$, then $m(\angle Z) = \dots$

- (a) 50° (b) 60° (c) 70° (d) 120°

2 The sum of measures of the accumulative angles at a point equals

- (a) 180° (b) 630° (c) 360° (d) 603°

3 The angle whose measure is $78^\circ 60'$, is angle.

- (a) a right (b) an acute (c) an obtuse (d) a straight

4 If $\angle A \equiv \angle B$ and $\angle A$ complements $\angle B$, then $m(\angle A) = \dots$

- (a) 45° (b) 90° (c) 100° (d) 180°

5 If two straight lines are parallel to a third straight line , then they are

- (a) perpendicular. (b) parallel. (c) congruent. (d) intersecting.

6 The measure of the supplement of an angle of measure 35° equals

- (a) 65° (b) 165° (c) 180° (d) 145°

2 Complete the following :

1 The perpendicular bisector of a line segment is called

2 If $m(\angle A) = 160^\circ$, then $m(\text{reflex } \angle A) = \dots^\circ$

3 The two adjacent angles formed by a straight line and a ray with a start point on this straight line are



هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي موقع آخر
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الالكتروني من هنا <https://www.zakrooly.com>


- 4 If two straight lines intersect , then each two vertically opposite angles are
 5 If $L_1 \perp L_2$ and $L_2 \parallel L_3$, then $L_1 \perp L_3$

3 [a] In the opposite figure :

$$\overrightarrow{AB} \cap \overrightarrow{CD} = \{M\} , m(\angle BME) = 80^\circ$$

, \overrightarrow{MC} bisects $\angle AME$

Find : 1 m($\angle AMC$) 2 m($\angle BMD$)




[b] In the opposite figure :

\overrightarrow{BD} bisects $\angle ABC$, $m(\angle DBC) = 35^\circ$

, $m(\angle BDC) = 120^\circ$


Find : $m(\angle A)$ in degrees.



4 [a] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{DC}$, $m(\angle EBC) = 53^\circ$, $m(\angle D) = 137^\circ$

Is $\overrightarrow{BC} \parallel \overrightarrow{AD}$? "State the reason"




[b] In the opposite figure :


$\overrightarrow{AB} \parallel \overrightarrow{CD}$, \overrightarrow{CE} bisects $\angle ACD$

, $m(\angle DCE) = 35^\circ$

Find : $m(\angle A)$



5 [a] Draw $\angle ABC$ of measure 85° , then bisect it. (Don't remove the arcs)



[b] In the opposite figure :

$AM = CM$

, $BM = DM$

Show with the reason if $\triangle ABM \cong \triangle CDM$ or not.

5

Giza Governorate

Boulaq El-Dakrour Dire. of Edu.
Dar El-Hanan Lang. Sch. for Girls



Answer the following questions :


1 Choose the correct answer :

- 1 The supplement of the angle whose measure is 30° is an angle whose measure is
 (a) 60° (b) 180° (c) 150° (d) 90°
 2 If $\triangle ABC \cong \triangle XYZ$ and $m(\angle A) + m(\angle B) = 110^\circ$, then $m(\angle Z) =$
 (a) 50° (b) 60° (c) 70° (d) 80°

3 From the opposite figure :The value of $X = \dots$


- (a) 30°
(c) 45°

- (b) 15°
(d) 18°

**4** From the opposite figure : $X = \dots$

- (a) 20°
(b) 30°

- (c) 40°
(d) 120°






**5** The angle of measure 179° is

- (a) acute.
(b) obtuse.
(c) right.

- (d) straight.

6 In the opposite figure : $\overleftrightarrow{AB} \cap \overleftrightarrow{CD} = \{M\}$, then $X = \dots$

- (a) 30°
(c) 45°


**2** Complete the following :**1** The complement of an angle of measure 65° is an angle of measure°**2** If $m(\angle B) = 160^\circ$, then $m(\text{reflex } \angle B) = \dots$ °**3** In the opposite figure : $\overrightarrow{CD} // \overrightarrow{BA}, \overrightarrow{DE} // \overrightarrow{CB}$, then $X = \dots$ °**4** In the opposite figure :If $\overleftrightarrow{MB} \cap \overleftrightarrow{AC} = \{M\}$, $m(\angle AMB) = 60^\circ$, then the value of X equals°**5** In the opposite figure : $\overrightarrow{AB} // \overrightarrow{DE}$, then $X + y + z = \dots$ **3** [a] In the opposite figure : $m(\angle A) = m(\angle C) = 90^\circ$, $AB = BC = 5 \text{ cm.}$, $AD = 3 \text{ cm.}$ **1** Mention the conditions for $\triangle ABD, \triangle CBD$ to be congruent.**2** Find : The length of \overline{CD}

[b] In the opposite figure :

$$m(\angle AEB) = 30^\circ, m(\angle BEC) = 110^\circ$$

$$\therefore m(\angle AED) = 90^\circ$$

Find : $m(\angle DEC)$




4 [a] In the opposite figure :

$$B \in \overleftrightarrow{AC}, m(\angle FBC) = 30^\circ$$

$$\therefore m(\angle ABD) = m(\angle DBE) = m(\angle EBF)$$


Find : $m(\angle ABE)$



[b] In the opposite figure :

$$\overrightarrow{ZX} \parallel \overrightarrow{LM}, \overrightarrow{LZ} \parallel \overrightarrow{MY}, m(\angle Z) = 60^\circ$$

Find : 1) $m(\angle L)$ 2) $m(\angle M)$




5 [a] In the opposite figure :

$$\overline{BD}$$
 bisects $\angle ABC$, $m(\angle DBC) = 35^\circ$

$$\therefore m(\angle BDC) = 120^\circ$$

Find : $m(\angle A)$




[b] In the opposite figure :

$\overleftrightarrow{AF} \parallel \overleftrightarrow{XY} \parallel \overleftrightarrow{DE} \parallel \overleftrightarrow{BC}$ and $AY = YE = EC$, $AY = 3 \text{ cm.}$

$\therefore AX = 2 \text{ cm.}$ and the perimeter of $\triangle ABC = 23 \text{ cm.}$

Find : The length of \overline{BC}



[c] Draw $\angle ABC$ of measure 100° and bisect it.

(Don't remove the arcs)

6

Alexandria Governorate

East Educational Zone
Sidi Gaber Lang. Sch. for boys



Answer the following questions :

1 Complete the following :

1 If $m(\angle A) = 120^\circ$, then the measure of the reflex angle of $\angle A = \dots \dots \dots$

2 The two adjacent angles formed by intersecting a straight line and a ray are $\dots \dots \dots$

3 If $\angle A$ supplements $\angle B$ and $\angle A$ supplements $\angle C$
 $\therefore \angle B$ and $\angle C$ are $\dots \dots \dots$

4 Two triangles are congruent if the lengths of two sides and the measure of $\dots \dots \dots$ are congruent with the corresponding parts of the other.

- 5 If $\angle A$ and $\angle B$ are complementary angles , $m(\angle A) = 2 m(\angle B)$, then $m(\angle B) = \dots \circ$


2 Choose the correct answer :

- 1 If two straight lines are perpendicular to a third , then the two straight lines are
 (a) perpendicular. (b) congruent. (c) parallel. (d) intersecting.
- 2 The axis of symmetry of a line segment is
 (a) perpendicular from its midpoint. (b) equal to it.
 (c) parallel to it. (d) congruent to it.

3 In the opposite figure :

$$x = \dots \circ$$


- (a) 80 (b) 120
 (c) 100 (d) 180



4 In the opposite figure :

$$m(\angle CBD) = \dots \circ$$

- (a) 100 (b) 120
 (c) 140 (d) 240




- 5 If $\Delta ABC \cong \Delta XYZ$, $m(\angle Z) = 55^\circ$, then $m(\angle A) + m(\angle B) = \dots \circ$
 (a) 110 (b) 115 (c) 120 (d) 125

3 [a] In the opposite figure :

$\overrightarrow{AB} \cap \overrightarrow{CE} = \{M\}$, $\overrightarrow{MD} \perp \overrightarrow{MC}$, \overrightarrow{MB} bisects $\angle DME$

Find showing the reason : 1 $m(\angle BME)$ 2 $m(\angle AMC)$
 3 $m(\angle AME)$




- [b] Draw the line segment AB of length 8 cm. , then construct the axis of symmetry of \overline{AB} (Don't remove the arcs)

4 [a] In the opposite figure :

Complete :

- 1 $\Delta ABM \cong \Delta \dots$
 2 $m(\angle B) = m(\angle \dots)$
 3 $m(\angle A) = m(\angle \dots)$
 4 The perimeter of $\Delta DMC = \dots$ cm.




[b] In the opposite figure :

$$\overline{AB} \parallel \overline{DC}, m(\angle A) = 120^\circ, H \in \overline{AC}$$

$$, m(\angle ECD) = 38^\circ$$

Find : $m(\angle ACD)$, $m(\angle HCE)$ (showing the reason)



5 In the opposite figure :

\overleftrightarrow{OR} is the axis of symmetry of the shape NERAM , $O \in \overleftrightarrow{MN}$


Complete : 1 Quad AMOR \equiv Quad

2 $m(\angle NOR) = m(\angle \dots)$

3 $m(\angle AMO) = m(\angle \dots)$

4 $m(\angle ORA) = m(\angle \dots) = \dots^\circ$

5 $m(\angle NER) = m(\angle \dots) = \dots^\circ$



7

Alexandria Governorate


Borg El-Arab Educational Zone
Al-Safwa Integrated Schools



Answer the following questions : (Calculator is allowed)

1 Complete each of the following :

- 1 The complement of the angle of measure 55° is an angle of measure°
- 2 The sum of measures of the accumulative angles at a point equals°
- 3 If $m(\angle B) = 160^\circ$, then $m(\text{reflex } \angle B) = \dots^\circ$
- 4 The perpendicular bisector of a line segment is called
- 5 The number of triangles in the opposite figure is



2 Choose the correct answer :

- 1 If $L_1 \parallel L_2$ and $L_2 \perp L_3$, then
- (a) $L_1 \perp L_2$ (b) $L_3 \parallel L_2$ (c) $L_1 \perp L_3$ (d) $L_3 \parallel L_1$
- 2 If $\Delta ABC \cong \Delta XYZ$ and $m(\angle A) + m(\angle B) = 110^\circ$, then $m(\angle Z) = \dots^\circ$
- (a) 50 (b) 60 (c) 70 (d) 80
- 3 If the ratio between the measures of two supplementary angles is $5 : 13$, then the measure of the smaller angle is°
- (a) 50 (b) 130 (c) 150 (d) 180°
- 4 The type of the angle of measure $89^\circ 60'$ is
- (a) acute. (b) obtuse. (c) right. (d) reflex.

5 The two diagonals are perpendicular and equal in length in the

- (a) rectangle. (b) rhombus. (c) square. (d) parallelogram.

6 If $\Delta ABC \cong \Delta LMN$, then $\overline{AC} \dots \overline{LN}$

- (a) = (b) \equiv (c) < (d) >


3 [a] In the opposite figure :

$$AB = AC, BD = CD$$

$$\text{, } m(\angle BAD) = 25^\circ$$

Is $\Delta ADC \cong \Delta ADB$? Why?

Find : $m(\angle CAB)$




[b] In the opposite figure :

$$m(\angle BMA) = 100^\circ$$

$$\text{, } m(\angle AMD) = 90^\circ$$

$$\text{, } m(\angle DMC) = 50^\circ$$

Find with steps : $m(\angle BMC)$




4 [a] In the opposite figure :

$$\overleftrightarrow{AF} // \overleftrightarrow{ED} // \overleftrightarrow{YX} // \overleftrightarrow{CB}$$

$$\text{, } AD = DX = XB, AC = 9 \text{ cm.}$$

Find : The length of \overline{AY} (Give reason)

[b] Draw $\angle ABC$ of measure 100° and bisect it.



5 [a] In the opposite figure :

$$\overrightarrow{ZX} // \overrightarrow{LM}$$


$$\text{, } \overrightarrow{LM} // \overrightarrow{NY}$$

$$\text{, } m(\angle N) = 110^\circ$$

$$\text{, } m(\angle Z) = 60^\circ$$

Find : 1 $m(\angle L)$

2 $m(\angle M)$




[b] In the opposite figure :

\overrightarrow{BD} bisects $\angle ABC$

$$\text{, } m(\angle DBC) = 35^\circ$$

$$\text{, } m(\angle BDC) = 120^\circ$$

Find : $m(\angle A)$



8

El-Kalyoubia Governorate

Directorate of Education
Mathematics Supervision**Answer the following questions :****1 Choose the correct answer :**

- 1** If $\Delta ABC \cong \Delta XYZ$, then $AC = \dots$
- (a) XY (b) XZ (c) YZ (d) AB
- 2** If $m(\angle B) = 105^\circ$, then $m(\text{reflex } \angle B) = \dots$
- (a) 255° (b) 75° (c) 105° (d) 50°
- 3** If $\overline{AB} \equiv \overline{CD}$ and $AB = 4 \text{ cm.}$, then $AB + 2 CD = \dots \text{ cm.}$
- (a) 10 (b) 4 (c) 8 (d) 12
- 4** The measure of the supplementary of the angle whose measure is 30° equals \dots°
- (a) 60 (b) 80 (c) 150 (d) 90
- 5** A cube is of volume 125 cm^3 , then the area of its base = $\dots \text{ cm}^2$
- (a) 5 (b) 15 (c) 25 (d) 10
- 6** The measure of the right angle is \dots°
- (a) 60 (b) 90 (c) 180 (d) 70

2 Complete the following :


- 1** The two diagonals are equal in length in and
- 2** The perpendicular bisector of a line segment is called
- 3** The sum of the measures of the accumulative angles at a point equals \dots° .
- 4** If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots^\circ$
- 5** If two straight lines are perpendicular to a third, then the two straight lines are

3 [a] In the opposite figure :

$\overrightarrow{DE} // \overrightarrow{AC}$, $m(\angle A) = 110^\circ$, $m(\angle D) = 70^\circ$

Complete the following :

- 1** $m(\angle C) = \dots$ because
- 2** Is $\overrightarrow{AB} // \overrightarrow{CD}$? (\dots) because

**[b] Using the geometric instruments , draw $\angle ABC$ where $m(\angle B) = 120^\circ$** , then draw \overrightarrow{BD} to bisect the angle.

(Don't remove the arcs)

4 [a] In the opposite figure :


$$\overleftrightarrow{AB} \cap \overleftrightarrow{CD} = \{M\}, \overrightarrow{ME} \text{ bisects } \angle AMC, m(\angle BMC) = 116^\circ$$

Complete the following :

1 $m(\angle AMC) = \dots \dots \dots^\circ$

2 $m(\angle AMD) = \dots \dots \dots^\circ$

3 $m(\angle AME) = \dots \dots \dots^\circ$




[b] In the opposite figure :

$$\overleftrightarrow{XY} \parallel \overleftrightarrow{ED} \parallel \overleftrightarrow{BC}, AE = EC$$

Complete the following :

1 $AD = \dots \dots \dots$

2 $AD : AB = \dots \dots \dots : \dots \dots \dots$




5 [a] From the opposite figure complete the following :

1 $\Delta ABM \cong \Delta \dots \dots \dots$

2 $CD = \dots \dots \dots \text{ cm.}$

3 $m(\angle B) = m(\angle \dots \dots \dots)$



[b] Mention two cases of congruency of two triangles.

9 El-Sharkia Governorate

West Zagazig Zone
Zagazig English Lang. Sch. for Girls



Answer the following questions :

1 Choose the correct answer :

1 If $\angle X$ complements $\angle Y$ and $\angle X \equiv \angle Y$, then $m(\angle X) = \dots \dots \dots^\circ$

- (a) 45 (b) 90 (c) 20 (d) 180

2 A square is of perimeter 20 cm., then its area = $\dots \dots \dots \text{ cm}^2$

- (a) 4 (b) 5 (c) 25 (d) 400


3 The two diagonals are equal in length in the $\dots \dots \dots$

- (a) rhombus. (b) parallelogram. (c) trapezium. (d) rectangle.

4 In the opposite figure :

$B \in \overleftrightarrow{AC}$, then $x = \dots \dots \dots$

- (a) 30 (b) 120 (c) 40 (d) 150



5 If $m(\angle A) = 110^\circ$, then $m(\text{reflex } \angle A) = \dots \dots \dots$


- (a) 70° (b) 360° (c) 250° (d) 150°

6 In the opposite figure :

If $\overleftrightarrow{AF} \parallel \overleftrightarrow{ED} \parallel \overleftrightarrow{CB}$, $AE = EC$, then $AD : AB = \dots$

- (a) 2 : 1
(c) 1 : 3

- (b) 3 : 2
(d) 1 : 2



2 Complete each of the following :

1 If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle B) = 120^\circ$, then $m(\angle Z) = \dots^\circ$

2 If a straight line intersects two parallel lines, then each two corresponding angles are

3 If $\triangle ABC \cong \triangle XYZ$, then $AC = \dots$

4 Two right-angled triangles are congruent if


5 If two straight lines intersect, then the measures of each two vertically opposite angles are

3 [a] In the opposite figure :

\overrightarrow{BD} bisects $\angle ABC$, $m(\angle DBC) = 35^\circ$

, $m(\angle BDC) = 120^\circ$

Find : $m(\angle C)$, $m(\angle ABC)$ and $m(\angle A)$




[b] In the opposite figure :

$AC = AB$, $DC = DB$

, $m(\angle CAD) = 30^\circ$

1 Prove that : $\triangle ABD \cong \triangle ACD$

2 Find : $m(\angle CAB)$




4 [a] In the opposite figure :

$\overrightarrow{DF} \parallel \overrightarrow{AC}$, $m(\angle A) = 100^\circ$

, \overrightarrow{DE} bisects $\angle FDC$, $m(\angle FDE) = 40^\circ$

1 Find : $m(\angle FDC)$ and $m(\angle C)$

2 Prove that : $\overrightarrow{CD} \parallel \overrightarrow{AB}$




[b] In the opposite figure :

The polygon ABCF = the polygon EDCF

, $m(\angle EFC) = 110^\circ$, $BC = 5\text{ cm}$.

Find : 1 $m(\angle AFC)$, $m(\angle AFE)$ and $m(\angle FCB)$


2 The length of \overline{BD}



5 [a] In the opposite figure :

$\overrightarrow{AB} \parallel \overrightarrow{CD} \parallel \overrightarrow{EF}$, \overrightarrow{CD} bisects $\angle ACE$
 $, m(\angle A) = 50^\circ$

Find : $m(\angle ACE)$ and $m(\angle E)$



[b] Using the ruler and compasses , draw the triangle ABC in which $BC = 6\text{ cm}$.

$, AB = AC = 5\text{ cm}$. Draw $\overline{AD} \perp \overline{BC}$ where $\overline{AD} \cap \overline{BC} = \{D\}$

(Don't remove the arcs)

10

El-Monofia Governorate

Kwesna Educational Directorate
Mathematics Supervision

Answer the following questions : (Calculator is permitted)

1 Choose the correct answer :

1 The sum of the measures of the accumulative angles at a point equals°

- (a) 90 (b) 180 (c) 270 (d) 360

2 If two triangles ABC and XYZ are congruent , then

- (a) $BC = XZ$ (b) $YX = CA$ (c) $ZY = CB$ (d) $AB = YZ$

3 If a straight line intersects two parallel straight lines , then each two interior angles in the same side of the transversal are

- (a) equal. (b) supplementary. (c) corresponding. (d) complementary.

4 If $\Delta ABC \cong \Delta XYZ$, $m(\angle A) + m(\angle B) = 115^\circ$, then $m(\angle Z) =^\circ$

- (a) 115 (b) 65 (c) 15 (d) 70

5 If $m(\angle A) = 90^\circ$, then $m(\text{reflex } \angle A) =^\circ$

- (a) 270 (b) 180 (c) 90 (d) 360

6 If $\angle A$ supplements $\angle B$ and $\angle A \cong \angle B$, then $m(\angle B) =^\circ$

- (a) 45 (b) 90 (c) 120 (d) 60

2 Complete each of the following :

1 The angle whose measure is 40° complements an angle of measure


2 Two triangles are congruent if two sides and the in one of them are congruent to their corresponding parts of the other.

3 If two straight lines are perpendicular to a third line , then these two straight lines are

4 If $L_1 \parallel L_2$ and $L_1 \perp L_3$, then $L_3 \perp L_2$

5 In the opposite figure :

$$x = \dots\dots\dots$$



3 [a] In the opposite figure :

$$m(\angle AMB) = 50^\circ$$


$$\text{, } m(\angle BMC) = 60^\circ$$

$$\text{, } m(\angle DME) = 40^\circ \text{ and } \overrightarrow{MA} \perp \overrightarrow{ME}$$

$$\text{Find : } m(\angle DMC)$$



نайдنا على صفحتنا على الفيسبوك
www.facebook.com/ZakrolySite




[b] In the opposite figure :

$$CB = FE, AC = EC$$

$$\text{, } m(\angle B) = m(\angle F) = 90^\circ$$

$$\text{, } m(\angle E) = 70^\circ \text{ and } FC = 80 \text{ cm.}$$

$$\text{Find : } m(\angle A) \text{ and the length of } \overline{AB}$$

4 [a] Draw the angle ABC where $m(\angle B) = 130^\circ$, using the ruler and the compasses bisect $\angle B$


[b] In the opposite figure :

$$\overrightarrow{EF} \parallel \overrightarrow{CD} \parallel \overrightarrow{AB}$$

$$\text{, } m(\angle CEF) = 120^\circ$$

$$\text{, } m(\angle HCD) = 45^\circ$$

$$\text{Find : The measures of the angles of } \triangle AHC$$




5 [a] In the opposite figure :

$$m(\angle ZXY) = m(\angle ZLY) = 90^\circ$$

$$\text{, } XY = LY \text{ and } ZX = 5 \text{ cm.}$$

1 Is $\triangle YXZ \cong \triangle YLZ$? Why ?

2 Find : The length of \overline{ZL}




[b] In the opposite figure :

$$\overrightarrow{AD} \parallel \overrightarrow{BE}$$

$$\text{, } m(\angle F) = 80^\circ$$

$$\text{, } m(\angle A) = 110^\circ \text{ and } m(\angle ABF) = 150^\circ$$

Is $\overrightarrow{BE} \parallel \overrightarrow{FC}$? (Give reason)





Answer the following questions :


1 Choose the correct answer :

- 1 The sum of measures of the accumulative angles at a point is
 (a) 180° (b) 90° (c) 360° (d) 60°
- 2 The acute angle supplements angle.
 (a) an acute (b) an obtuse (c) a right (d) a reflex
- 3 The two straight lines parallel to a third straight line are
 (a) intersecting. (b) congruent. (c) parallel. (d) perpendicular.
- 4 If $\Delta ABC \cong \Delta DEF$, $m(\angle A) + m(\angle B) = 110^\circ$, then $m(\angle F) =$
 (a) 180° (b) 110° (c) 80° (d) 70°

5 In the opposite figure :

$$x = \dots$$

- (a) 80° (b) 100° (c) 20° (d) 40°



6 $\overrightarrow{AB} \cup \overrightarrow{AC} =$

- (a) \overrightarrow{AB} (b) $\angle ABC$ (c) $\angle BAC$ (d) \emptyset


2 Complete the following :

- 1 The complement of an angle of measure 75° is an angle of measure
 (a) 15° (b) 25° (c) 45° (d) 65°
- 2 If $m(\angle A) = 160^\circ$, then $m(\text{reflex } \angle A) =$
 (a) 20° (b) 40° (c) 60° (d) 80°
- 3 If two straight lines intersect, then the measures of each two vertically opposite angles are
 (a) 10° (b) 20° (c) 30° (d) 40°
- 4 If $\overline{AB} \cong \overline{XY}$, then $AB - XY =$
 (a) 0 (b) 1 (c) 2 (d) 3
- 5 If $\angle A$ supplements $\angle B$ and $\angle A \cong \angle B$, then $m(\angle B) =$
 (a) 45° (b) 60° (c) 75° (d) 90°

3 [a] State any two cases of congruency of two triangles.

[b] From the opposite figure :

- 1 Prove that : $\Delta ABC \cong \Delta ADC$
- 2 Find : $m(\angle BAC)$




4 [a] In the opposite figure :

$$\overleftrightarrow{AF} \parallel \overleftrightarrow{DE} \parallel \overleftrightarrow{BC}$$

, D is the midpoint of \overline{AB}

, $AE = 7 \text{ cm.}$

Find : AC



[b] Using the geometric instruments , draw $\triangle ABC$ in which $BC = 6 \text{ cm.}$, $AB = AC = 5 \text{ cm.}$

, then draw $\overline{AD} \perp \overline{BC}$ where $\overline{AD} \cap \overline{BC} = \{D\}$, Find by measuring : AD

(Don't remove the arcs)


5 [a] In the opposite figure :

$$\overleftrightarrow{AB} \parallel \overleftrightarrow{DC}, \overleftrightarrow{BC} \parallel \overleftrightarrow{AD}$$

, $E \in \overleftrightarrow{BC}$, $m(\angle D) = 10x^\circ$

, $m(\angle ABE) = 80^\circ$


Find : The value of x



[b] In the opposite figure :

$C \in \overleftrightarrow{AB}$, $m(\angle ACD) = 130^\circ$, \overrightarrow{CE} bisects $\angle BCD$

Find : $m(\angle DCE)$



12

Ismailia Governorate

Directorate of Education
Math's Supervision

Answer the following questions :

1 Choose the correct answer :

1 The angle of measure 60° supplements an angle of measure°

- (a) 40 (b) 30 (c) 120 (d) 90

2 If two straight lines are perpendicular to a third , then the two straight lines are

- (a) perpendicular. (b) intersecting. (c) parallel. (d) congruent.

3 If $\triangle ABC \cong \triangle XYZ$, $m(\angle A) + m(\angle B) = 140^\circ$, then $m(\angle Z) =^\circ$

- (a) 60 (b) 40 (c) 80 (d) 140

4 The number of axes of symmetry of the square equals

- (a) 1 (b) 2 (c) 3 (d) 4

5 If a straight line cuts two parallel lines , then each two corresponding angles are

- (a) equal in measure. (b) complementary.
(c) supplementary. (d) right.

6 If $m(\angle A) = 100^\circ$, then $m(\text{reflex } \angle A) = \dots^\circ$

- (a) 80 (b) 260 (c) 50 (d) 100

2 Complete the following :


- 1 If two adjacent angles are complementary , then their outer sides are
- 2 If $\Delta ABC \cong \Delta XYZ$, then $AC = \dots$
- 3 If $\angle C \cong \angle D$, $m(\angle C) = 90^\circ$, then $m(\angle D) = \dots^\circ$
- 4 The measure of the straight angle equals°
- 5 The perimeter of a square is 40 cm. , then its side length is cm.

3 [a] In the opposite figure :

$$AC = AB$$

$$, DC = DB$$

Is $\Delta ADB \cong \Delta ADC$? Why ?




[b] In the opposite figure :

$$\overrightarrow{AD} // \overrightarrow{BC}$$

$$, m(\angle EAD) = 60^\circ$$

$$, m(\angle CAD) = 50^\circ$$

Find : 1 $m(\angle C)$ 2 $m(\angle B)$ 3 $m(\angle BAC)$




4 [a] In the opposite figure :

$$m(\angle DBE) = 30^\circ$$

, $\angle CBD$ is a right angle

$$, m(\angle EBA) = 110^\circ$$

Find : $m(\angle ABC)$



[b] Draw \overline{AB} of length 6 cm. and bisect it.

(Don't remove the arcs)


5 [a] In the opposite figure :

$$\overrightarrow{BA} // \overrightarrow{CD} // \overrightarrow{YZ}$$

$$, m(\angle ABC) = 105^\circ$$

$$, m(\angle ZYC) = 50^\circ$$

Find : 1 $m(\angle YCD)$ 2 $m(\angle BCD)$ 3 $m(\angle BCY)$




[b] In the opposite figure :

$AB = BC = 4 \text{ cm.}$, $AD = 3 \text{ cm.}$

, $m(\angle A) = m(\angle C) = 90^\circ$

1 Is $\Delta ABD \cong \Delta CBD$? Why?

2 Find : The length of \overline{CD}



13

Damietta Governorate

Damietta Inspection of Mathematics
Official Language Schools

Answer the following questions :

1 Choose the correct answer :

1 If $\angle X$ supplements $\angle Y$ and $\angle X \equiv \angle Y$, then $m(\angle X) = \dots \circ$

- (a) 45 (b) 90 (c) 180 (d) 360

2 If $\Delta ABC \cong \Delta XYZ$, then

- (a) $AB = YZ$ (b) $BC = XZ$ (c) $YX = CA$ (d) $ZY = CB$

3 The centimeter cube is a unit for measuring the

- (a) perimeter. (b) area. (c) volume. (d) length.

4 Two straight lines are perpendicular to a third line

, then the two straight lines are

- (a) perpendicular. (b) parallel. (c) congruent. (d) intersecting.

5 $\overline{XY} \dots \overline{XY}$


- (a) \notin (b) \in (c) \subset (d) \subsetneq

6 In the opposite figure :

If $\overrightarrow{AC} \cap \overrightarrow{MB} = \{M\}$

, then the value of $X = \dots \circ$

- (a) 20 (b) 30 (c) 40 (d) 60



2 Complete each of the following :

1 If $m(\angle A) = 120^\circ$, then $m(\text{reflex } \angle A) = \dots \circ$

2 If the perimeter of a square is 20 cm., then its area equals cm^2

3 The number of edges of the cuboid is

4 If a straight line cuts two parallel straight lines , then each two alternate angles are

5 If $\overline{AB} \cong \overline{CD}$, then $AB - CD = \dots$



نحوه في أي عمل عليه العالمة زي



هذا العمل حصري على موقع ذاكرولي التعليمي ويسمح بمشاركة فقط ولا يسمح بتبادله على أي موقع آخر
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>


3 [a] In the opposite figure :

$$\overrightarrow{AB} \parallel \overrightarrow{DC}$$

$$, m(\angle A) = 60^\circ$$

$$, m(\angle D) = 120^\circ$$

- [1] Find : $m(\angle C)$ [2] Is $\overrightarrow{AC} \parallel \overrightarrow{DE}$? Why ? (Write the steps)**



[b] Draw $\angle ABC$ where $m(\angle B) = 115^\circ$ Using the ruler and compasses bisect $\angle B$ by \overline{BD} (Don't remove the arcs)


4 [a] In the opposite figure :

$$\overleftrightarrow{AF} \parallel \overleftrightarrow{DE} \parallel \overleftrightarrow{XY} \parallel \overleftrightarrow{BC}$$

$$, AD = DX = XB$$

$$, AY = 6 \text{ cm.}$$

Find : The length of \overline{AC} (Give the reason)




[b] In the opposite figure :

$$m(\angle BAD) = m(\angle BCD) = 90^\circ$$

$$, AB = CB = 5 \text{ cm.}, AD = 3 \text{ cm.}$$

Mention the conditions for $\triangle ABD \cong \triangle CBD$ to be congruent

, then find : The length of \overline{CD}



5 [a] In the opposite figure :


$$\overleftrightarrow{AC} \cap \overleftrightarrow{DE} = \{B\}$$

$$, m(\angle ABD) = 50^\circ$$

$$, m(\angle ABF) = 90^\circ$$

Find showing the steps :

- [1] $m(\angle DBC)$ [2] $m(\angle CBE)$ [3] $m(\angle FBE)$**



[b] In the opposite figure :


$$AB = BC, AD = CD$$

$$, m(\angle C) = 80^\circ$$

$$, m(\angle BDC) = 40^\circ$$

Is $\triangle CBD \cong \triangle ABD$? Why ?

and find : $m(\angle ABD)$



14

Souhag Governorate

Maths Supervision

**Answer the following questions :**موقع جديد زاكرولي على موقعنا
<https://www.zakrooly.com>**1 Choose the correct answer :**

- 1** If $\angle X \equiv \angle Y$ and $\angle X, \angle Y$ are supplementary angles , then $m(\angle X) = \dots$
- (a) 45° (b) 90° (c) 135° (d) 180°
- 2** If two straight lines are perpendicular to a third line , then the two straight lines are
 (a) perpendicular. (b) parallel. (c) congruent. (d) intersecting.
- 3** If $\Delta XYZ \equiv \Delta ABC$ and $m(\angle A) + m(\angle B) = 100^\circ$, then $m(\angle Z) = \dots$
 (a) 50° (b) 80° (c) 100° (d) 360°
- 4** The angle whose measure is more than 90° and less than 180° is
 (a) obtuse. (b) acute. (c) right. (d) straight.
- 5** If $m(\angle X) = 2m(\angle Y)$, $\angle X$ and $\angle Y$ are two complementary angles
, then $m(\angle Y) = \dots$
 (a) 90° (b) 45° (c) 30° (d) 15°
- 6** The sum of the measures of the accumulative angles at a point is
 (a) 45° (b) 90° (c) 180° (d) 360°

2 Complete each of the following :

- 1** If two straight lines intersects , then each two vertically opposite angles are


- 2** If $\Delta ABC \equiv \Delta XYZ$, then $XZ = \dots$

- 3** If $\angle A$ supplements $\angle B$, $m(\angle A) = 100^\circ$, then $m(\text{reflex } \angle B) = \dots^\circ$

- 4** In the opposite figure :

$$A \in \overleftrightarrow{CB}$$

, then $m(\angle DAE) = \dots^\circ$




- 5** In the opposite figure :

$$\overrightarrow{CD} / \overrightarrow{BA}$$

$$\overrightarrow{DE} / \overrightarrow{CB}$$

, then $x = \dots^\circ$



هذا العمل حصري على موقع زاكرولي التعليمي ويسمح بمشاركته فقط ولا يسمح بتداوله على أي موقع آخر
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الالكتروني من هنا <https://www.zakrooly.com>

3 [a] In the opposite figure :


$$AB = AC$$

$$, BD = DC$$

$$, m(\angle CAD) = 30^\circ$$

1 Prove that : $\Delta ABD \cong \Delta ACD$

2 Find : $m(\angle CAB)$



[b] Using the ruler and the compasses , draw the angle ABC where $m(\angle ABC) = 110^\circ$

and draw \overrightarrow{BD} to bisect the angle.


(Don't remove the arcs)

4 [a] In the opposite figure :

$$\overrightarrow{CD} \parallel \overrightarrow{BA}, \overrightarrow{CB} \parallel \overrightarrow{AH}$$

$$, \overrightarrow{AE} \text{ bisects } \angle BAH, m(\angle EAH) = 58^\circ$$

Find : $m(\angle C)$




[b] In the opposite figure :

$$m(\angle AEB) = 30^\circ, m(\angle BEC) = 110^\circ$$

$$, m(\angle AED) = 90^\circ$$

Find : $m(\angle DEC)$




5 [a] In the opposite figure :

$$\overrightarrow{AF} \parallel \overrightarrow{ED} \parallel \overrightarrow{YX} \parallel \overrightarrow{CB}$$

$$, AD = DX = XB$$

$$, AC = 9 \text{ cm.}$$

Find : The length of \overline{AY}



[b] In the opposite figure :

$$m(\angle A) = m(\angle C) = 90^\circ, m(\angle ABD) = 31^\circ$$


$$, AB = 5 \text{ cm.}$$

$$, AD = CD$$

1 Prove that : $\Delta ABD \cong \Delta CBD$

2 Find : The length of \overline{BC}

3 Find : $m(\angle CBD)$





Answer the following questions :

1 Choose the correct answer :

1 A square is of side length 7 cm. , then its perimeter = cm.

- (a) 14 (b) 21 (c) 24 (d) 28

2 The circumference of the circle =

- (a) 2π (b) $2\pi r$ (c) πr (d) πr^2

3 The sum of measures of the accumulative angles at a point equals°

- (a) 360 (b) 180 (c) 603 (d) 150

4 If $L_1 \parallel L_3$, $L_2 \parallel L_3$, then

- (a) $L_1 \parallel L_2$ (b) $L_1 \perp L_2$ (c) $L_2 \perp L_3$ (d) $L_1 \perp L_3$

5 The measure of the supplement of the angle whose measure is 30° equals°

- (a) 60 (b) 180 (c) 150 (d) 90

6 If $\angle X$ complements $\angle Y$ and $\angle X \equiv \angle Y$, then $m(\angle X)$ =°

- (a) 45 (b) 90 (c) 180 (d) 360

2 Complete :

1 Two triangles are congruent if two sides and of one triangle are congruent to their corresponding parts of the other triangle.

2 If $m(\angle A) = 105^\circ$, then $m(\text{reflex } \angle A) =^\circ$

3 If $\Delta ABC \cong \Delta XYZ$, then $\overline{AC} \equiv \dots$


4 If a straight line intersects two parallel lines
, then each two corresponding angles are

5 In ΔABC , if $m(\angle A) = 50^\circ$, $m(\angle B) = 40^\circ$, then $m(\angle C) =^\circ$

3 [a] In the opposite figure :

$$m(\angle AMB) = 110^\circ , m(\angle AMD) = 90^\circ \\ , m(\angle DMC) = 40^\circ$$

Find : $m(\angle BMC)$ (With steps)



[b] Using the geometric tools , draw $\angle ABC$ whose measure is 90° , then draw \overline{BF} to bisect the angle.

(Don't remove the arcs)


4 [a] In the opposite figure :

$$\overrightarrow{DE} \parallel \overrightarrow{BC}$$

$$, \overrightarrow{DC} \parallel \overrightarrow{BA}$$

$$, m(\angle D) = 70^\circ$$

Find : $m(\angle C)$, $m(\angle B)$ (Give reason)



[b] In the opposite figure :

The polygon ABCD \cong the polygon AFHD


Complete :

1 AB =

2 BC =

3 $m(\angle C) = m(\angle \dots)$

4 $m(\angle F) = m(\angle \dots)$



5 [a] In the opposite figure :


$$AB = BC$$

$$, AD = DC$$

$$, m(\angle C) = 80^\circ$$

1 Prove that : $\Delta ABD \cong \Delta CBD$

2 Find : $m(\angle A)$




[b] In the opposite figure :

$$\overleftrightarrow{AF} \parallel \overleftrightarrow{XY} \parallel \overleftrightarrow{BC}$$

$$, AY = YC$$

$$, AX = 3 \text{ cm.}$$

Find : The length of \overline{AB} (Give reason)



تابع جدد زاكرولي على
فيسبوك
توبر
واتس اب
تلغرام

أكتب زاكرولي في البحث وانضم لمجموعات زاكرولي
نه رياضه الاطفال للصف الثالث الاعدادي

تابع جدد زاكرولي على موقعنا
<https://www.zakrooly.com>

للس الاشتراك في
قنوات زاكرولي
على نطبيق telegram



هذا العمل حصري على موقع زاكرولي التعليمي ويسمح بمشاركة فقط ولا يسمح بتداوله على أي موقع آخر
للمزيد من أعمالنا الحصرية تفضل بزيارة موقعنا الإلكتروني من هنا <https://www.zakrooly.com>